


N 90, Built-in oven, Stainless steel  
B57CS24H0B



COOKING PASSION SINCE 1877



A



#### Included accessories

1 x combination grid, 1 x universal pan

#### Optional accessories

Z11CG10X0 : Accessory, Z11CR10X0 : Baking and roasting grid (standard), Z11GT10X3 : Glass roasting dish, 5,4l, Z11GU20X0 : Glasspan, Z11SZ00X0 : SeamlessCombination mounting kit, Z11SZ80X0 : SeamlessCombination 60 + 29cm, Z11SZ90X0 : SeamlessCombination 60 + 45cm, Z11TC10X0 : ComfortFlex Rail (1 level), Z12CB10A0 : Baking tray, anthracite enamelled, Z12CM10A0 : Moussaka pan, anthracite enamelled, Z12CP10A0 : Pizza pan, anthracite enamelled, Z12CQ10A0 : Grill tray, anthracite enamelled, Z13CV05S0 : Cover Strip, Z18C60X0 : Cookbook, Z1913X0 : Baking Stone, Z19DD10X0 : Steam set for ovens

#### Built-in oven with SLIDE&HIDE® - unrestricted access to the oven interior

- ✓ Slide&Hide® - unrestricted access in the oven interior and easy handling due to rotating handle
- ✓ CircoTherm® - the unique hot air-system for simultaneous baking and roasting on up to 3 levels
- ✓ Dual cleaning options:
- ✓ Pyrolytic following heavy use - just let the oven interior clean itself.
- ✓ EasyClean® - the quick and easy option for day to day maintenance.
- ✓ Shift Control - fast navigation through menus and simple operation with the generous TFT display.
- ✓ Home Connect - rediscover your kitchen with our connected home appliances, from wherever you are.

#### Features

##### Technical Data

Color / Material Front : Stainless steel

Construction type : Built-in

Integrated Cleaning system : Hydrolytic, Pyrolytic

Required niche size for installation (HxWxD) : 585-595 x 560-568 x 550

Dimensions of the product (mm) : 595 x 596 x 548

Dimensions of the packed product (HxWxD) (mm) : 660 x 690 x 660

Control Panel Material : Stainless steel

Door Material : Glass

Net weight (kg) : 41.728

Usable volume of cavity (l) : 71

Cooking method : , 4D hot air, Bottom heat, Bread Baking Setting, Conventional heat, Defrost, Dough proving setting, Full width grill, Half width grill, Hot Air-Eco, Hot air grilling, low temperature cooking, Pizza setting

First cavity material : Enamelled

Temperature control : electronic

Number of interior lights : 1

Approval certificates : CE, VDE

Length of electrical supply cord (cm) : 120

EAN code : 4242004236672

Number of cavities (2010/30/EC) : 1

Energy efficiency class (2010/30/EC) : A

Energy consumption per cycle conventional (2010/30/EC) : 0.90

Energy consumption per cycle forced air convection (2010/30/EC) : 0.74

Energy efficiency index (2010/30/EC) : 87.1

Connection rating (W) : 3450

Current (A) : 16

Voltage (V) : 220-240

Frequency (Hz) : 50; 60

Plug type : no plug



4 242004 236672

*N 90, Built-in oven, Stainless steel*  
*B57CS24H0B*

## Features

### Design

- 4.1" TFT colour and graphics display with ShiftControl
- Illuminated Shift Control
- Cavity inner surface: Enamel anthracite
- Slide&Hide® with rotating handle

### Features

- HomeConnect ready on WLAN
- Control panel lock
  - Automatic safety switch off
  - Residual heat indicator
  - Start button
  - Door contact switch
- Temperature proposal
  - Actual temperature display
  - Heating up indicator
  - Sabbath setting
- Baking and roasting assistant
- Interior halogen light
- Quadruple glazed door

### Cleaning

- Pyrolytic cleaning
- EasyClean
- Full glass inner door

### Programmes/functions

- 13 heating methods: CircoTherm®, CircoTherm® Gentle, Top/bottom heat, Conventional heat Gentle, Hot air grilling, Full surface grill, Centre surface grill, CircoTherm® intensive, Bread baking, Bottom heat, Low temperature cooking, Defrost, Dough proving
- Rapid heat
- Cooling fan

### Accessories

- 1-level flexible telescopic rail, full extension, Stop function
- 1 x combination grid, 1 x universal pan


### Performance/technical information

- Energy efficiency rating (acc. EU Nr. 65/2014): A
  - Energy consumption per cycle in conventional mode: 0.9 kwh
  - Energy consumption per cycle in fan-forced convection mode: 0.74 kwh
  - Number of cavities: Main cavity
  - Heat source: electrical
  - Cavity volume: 71 litre
- Total connected load electric: 3.45 KW
- Temperature range 40 °C - 275 °C
- Length of mains cable: 120 cm
- Nominal voltage: 220 - 240 V
- Appliance dimension (hxwxh): 595 mm x 596 mm x 548 mm
- Niche dimension (hxwxh): 585 mm - 595 mm x 560 mm - 568 mm x 550 mm
- Please refer to the dimensions provided in the installation manual

N 90, Built-in oven, Stainless steel  
B57CS24H0B

Dimensioned drawings

Installation with a hob.



If the appliance will be installed underneath a hob, the following worktop thicknesses (including substructure if necessary) must be taken into account.

Hob type	min. worktop thickness	
	fitted	flush
Induction hob	37 mm	38 mm
Full surface Induction hob	47 mm	48 mm
Gas hob	30 mm	38 mm
Electric hob	27 mm	30 mm

