

July 2021



# Valves and Industrial

Trade Price Guide

**RMC**



☎ 1800 810 803

🖨 1800 062 669

✉ sales@rmc.com.au

🌐 rmc.com.au



Reliance Worldwide Corporation (Aust.) Pty. Ltd.  
27-28 Chapman Place, Eagle Farm QLD 4009,  
Australia | ABN 71 004 784 301

## Valve Application Guide

Valve Application Guide	1
-------------------------	---

## Temperature Control Valves

Tempering Valves	2
Slick Combo Kits	2
SharkBite 4-in-1	2
Miscellaneous Temperature Control Valves	2
Stainless Steel Cabinet Kits	2

## Pressure and Temperature Control Valves

P&T Relief Valves – HT55 15mm (1/2")	3
P&T Relief Valves – HT575 20mm (3/4")	3
P&T Relief Valves – HTE55-1 15mm (1/2") with 1" Extension	3
P&T Relief Valves – HTE575-1 20mm (3/4") with 1" Extension	3
P&T Relief Valves – HTE55-2 15mm (1/2") with 2" Extension	3
P&T Relief Valves – HTE575-2 20mm (3/4") with 2" Extension	4
P&T Relief Valves – HTT55-1 15mm (1/2") Integrated Outlet	4
Pressure, Temperature and Vacuum Relief Valves – Low Pressure	4

## Control Valves

Expansion Control Valves – High Pressure	5
Insulation Kit - Standard Set	5
Insulator P&T Valve	5
Expansion Control Valves – Low Pressure	6
Solar Control Combination Valves	6
Solar Non-Return Valve	6

## Pressure Limiting Valves

PressureGuard Pressure Limiting Valves – PSL Series	7
Pressure Limiting Valves – PS Series – PS50	7
Pressure Limiting Valves – PS Series – PS75	7
Pressure Limiting Valves – PS Series – PS100	7

## Pressure Reducing Valves

Gauges for Adjustable Pressure Reducing Valves	8
Pressure Reducing Valves – Non-Adjustable	8
General Water Applications and Coolers (PRV) – Non-Adjustable	8
Thermal Balancing Valves	8
PressureGuard Compact Pressure Reducing Valves – Adjustable	8
PressureGuard Compact High Pressure Reducing Valves – Adjustable	9
PressureGuard Compact Pressure Reducing Valves – Right Angle	9
Commercial Pressure Reducing Valves	9
High Pressure Reducing Valves – Adjustable	9
Pressure Reducing Valves – Adjustable	9
Spare Parts for General Application Adjustable PRVs	10

## Non-Return Valves

Non-Return Valves	11
Undersink Connection Valves	11
Combination Non-Return Isolating Valves	11

## Cold Water Valves and Products

Y Strainers	12
Vacuum Relief Valves	12
HydroSave Flow Regulating Discs	12
HydroSave Inline Flow Controllers	12
HydroSave Water Saving Aerators	13
HydroSave Water Saving Aerator Inserts	13
HydroSave Water Saving Kit	13
Noise Reduction Valve	13
In-Line Drain Cock	14
Plumbers Test Kit	14
Pressure Limiting Value Dual Check	14
FloodGuard™ Hose Burst Shut Off Valve	14
Sioux Chief Hydra-Rester (Boxed) 15mm – 50mm	15
Sioux Chief Hydra-Rester (Carded Hang-Sell) 15mm – 20mm	15
Sioux Chief Mini-Rester (Carded Hang-Sell) 15mm – 20mm	15

## Tap Restoration

HydroSeal O-Ring Tap Valves	16
HydroSeal Tap Restoration Tools	16
HydroSeal Tap Restoration Kits	16
HydroSeal Lubricants	16

## Electronic Tapware

Electronic Washing Systems	17
Electronic Flushing Systems	17
Spare Parts and Accessories – Monotronic	17

## Cold Water Meters

Endurance Multijet Turbine Water Meters 15mm – 50mm	18
Polymer Positive Displacement Water Meters 15mm - 20mm	18
Positive Displacement Water Meters 15mm – 40mm	18
Woltman Industrial ISO Length Water Meter 50mm – 200mm	19
Woltman Industrial Australian Length Water Meter 50mm – 200mm	19
Woltman Meters Pulse Output Accessories	19
Octave Ultrasonic Industrial 50mm – 300mm	19
Octave Meters Pulse Output Accessories	20
Round Flange Water Meter Spacers	20

## Water Meters and Accessories

Remote Digital Displays	21
Recycled Water Kits	21
Water Meter Kits	21
Sub-Metering Kits	21
Meter Housings	22
Water Meter Box Kits	22
Water Service Ball Valves	22
90° Water Service Ball Valves – Lockable	22
Recycled Water Ball Valves	23
Melbourne Water Kits	23
Hunter Water Kits	23
Meter Couplings	23
Meter Flange, Seal and Bolt Kits	24
Meter Gaskets and Sealing Rings	24
Meter Dirt Boxes	24

## Ball Valves

Ball Valves – Potable Water Approved	25
Water Service Ball Valves – Water Approved (Long Handle)	25
Ball Valves Butterfly Handle – Gas Approved	25
Ball Valves – Water Approved (Stainless Steel)	26
Ball Valves Lever Handle – Gas Approved	26
Ball Valves – Gas and Water Approved	27

## Backflow Valves

Hose Connection Vacuum Breakers – Low Hazard	28
Dual Check Valves (Dual CV) – Low Hazard	28
High Temperature Dual Check Valve (Dual CV) – Low Hazard	28
RyeMetal Mini Dual Check Valves (Dual CV) 60°C – Low Hazard	28
RyeMetal Mini Dual Check Valves (Dual CV) 80°C – Low Hazard	28
RyeMetal Dual Check Valves (Dual CV) 60°C – Low Hazard	28
Flomatic Reduced Pressure Zone Devices (15mm – 50mm)	29
Flomatic Reduced Pressure Zone Devices (65mm – 200mm)	29
Flomatic Reduced Pressure Zone Devices Complete (15mm – 50mm)	29
Flomatic Reduced Pressure Zone Devices Complete (65mm – 200mm)	29
Flomatic Double Check Valves (20mm – 50mm)	29
Flomatic Double Check Valves (65mm – 200mm)	30
Flomatic Double Check Valves Complete (20mm – 50mm)	30
Flomatic Double Check Valves Complete (65mm – 200mm)	30
Flomatic Single Check Valves	30
Flomatic Single Detector Check Valves	30
Double Detector Check Valve Assembly	31
Backflow in Stainless Steel Recessed Cabinets	31
Y Strainers	31
Isolation Valves Butterfly Valves	31
RPZD First Check Valve Assembly	32
RPZD Second Check Valve Assembly	32
RPZD Rubber Kits	32
RPZD Relief Assembly Kits	32
DCV First Check Valve Assembly	33
DCV Second Check Valve Assembly	33
DCV Rubber Kits	33

## Backflow Prevention Repair Kits

RyeMetal Backflow Test Kits and Tools / Parts	34
SCVT / SCDAT Rubber Kits	34
Testable Single Check Valves – 7kPa First Check Assembly	34
Testable Single Check Detectors – 35kPa First Check Assembly	34

## Tapping Bands and Ferrule Cocks

SURESEAL Tapping Bands – AC and Compatible Pipe – Series 2	35
SURESEAL Tapping Bands – White PVC Pipe – Series 1	36
SURESEAL Coated Tapping Bands	36
SURESEAL Tapping Bands – Maintenance Type	37
Tapping Kits	37
Tapping Kit Accessories	38
Standard Ferrule Cocks	39
Capped / Bonnet Ferrule Cocks	39
Ferrule Bonnet Assemblies	39
Ferrule Bends	40



## Standpipes

Metered Standpipes	41
Non-Metered Standpipes	41

## Policies, Terms and Conditions, Warranty

Pricing	42
Terms and Conditions	42
Installation	42
Reliance Worldwide Corporation Warranty	42

## Valve Application Guide

### Step One – Determine the P&T Pressure Setting

Refer to label on valve.

## The Water Heater Manufacturer

# 100

## Litre

Model Number: 9312782

Serial Number: XZ65414

Max Working Pressure: 1000kPa

Max Supply (No ECV): 800kPa

Max Supply (With ECV): 680kPa

EC Valve Setting: 850kPa

P&T Set Pressure  
on the heater label

The P&T Relief Valve setting should be the same as the working pressure on the water heater rating label.

### Step Two – Check you have the correct P&T Configuration

- If the water heater is a new installation, check that the P&T valve provided is rated the same as the working pressure of the water heater.
- If the valve is a replacement valve (e.g. for maintenance purposes), ensure that the replacement P&T valve is of the exact same configuration and pressure setting as the valve it is replacing.
- Reading the Date Stamp: 5/02/7.  
The above example would have been manufactured on the 5th day of the 2nd week of 2007. All valves are covered by warranty for 2 years from date of manufacture.



P & T Relief Valve


Expansion Control Valve

### Step Three – Determine the maximum Expansion Control Valve Setting

All RMC water heater valve rating plates are colour coded to make selecting the correct valve easy. Simply match the Reliance P&T Valve with a rating plate of the same colour. Other manufacturer's may use a different colour scheme or pressure range. Always replace with a genuine RMC valve to reduce the chance of voiding a manufacturer's warranty.

Rating Plate Colour	P&T Relief	Expansion Control	Pressure Limiting Valve
	700kPa	550kPa	350kPa
	850kPa	700kPa	500kPa
	1000kPa	850kPa	500kPa
	1400kPa	1200kPa	600kPa





MIX15



MIXSB16




MIX12013I



MIX11014U



MIX11092



MIX11167

## Tempering Valves

Order Code	Description	Size	List Price
MIX15	Tempering Valve Insulated	15mm	193.91
MIX20	Tempering Valve Insulated	20mm	226.66
MIX15U	Tempering Valve Insulated – Ultra	15mm	292.06
MIX20U	Tempering Valve Insulated – Ultra	20mm	327.11
MIX11511	Tempering Solar – Solar High Flow	20mm	338.79
MIXSB16	SharkBite Tempering Valve	16mm	193.91
MIXSB20	SharkBite Tempering Valve	20mm	220.06
MIXF11116I	SharkBite Tempering Valve Insulated – Solar	16mm	292.06
MIXF11117I	SharkBite Tempering Valve Insulated – Solar	20mm	317.58
MIXRA11009I	SharkBite CU Tempering Insulated	15mm	193.91
MIXRA11116I	SharkBite CU Tempering Valve Insulated – Ultra	15mm	292.06

Maximum hot water supply temperature for standard valves is 90°C. Maximum hot water supply temperature for ultra and solar valves is 99°C. Check valves and strainers on both hot and cold inlets. Union and Compression Fittings included.

## Slick Combo Kits

Order Code	Description	List Price
MIX12013I	Slick Combo Set Insulated	233.65
MIX12015I	Slick Combo Set Insulated – Solar	292.06

## SharkBite 4-in-1

Order Code	Description	Size	List Price
MIX11014U	SharkBite 4-in-1 Upwards	16mm	191.06
MIX11014D	SharkBite 4-in-1 Downwards	16mm	191.06
MIX11013U	SharkBite 4-in-1 Upwards	20mm	212.90
MIX11013D	SharkBite 4-in-1 Downwards	20mm	212.90

## Miscellaneous Temperature Control Valves

Order Code	Description	Size	List Price
MIX11092	PTCV Primary Temperature Control Valve	20mm (3/4")	356.36
MIX11091	Solar Transfer Valve	20mm (3/4")	327.11

MIX11092 – CAUTION: Not to be used in place of tempering valve nor to supply water outlets intended for sanitary purposes.

MIX11091 – SPECIAL NOTE: This valve has one inlet and two outlets. Refer to documentation supplied with valve.

## Stainless Steel Cabinet Kits

Order Code	Description	Compatible	Inlet Fittings	List Price
MIX11167	Cabinet Kit with 15mm Fittings	MIX15/15U	G 3/4" x G 1/2" B	360.29
MIX11168	Cabinet Kit with 20mm Fittings	MIX15/15U	G 3/4" x G 3/4" B	360.29
MIX11170 *	Cabinet Kit with 25mm x 20mm Fittings	MIX20/20U	G 1" x G 3/4" B	372.59

\* Must be used with a MIX20/20U Tempering Valves only.



HT511

## P&T Relief Valves – HT55 15mm (1/2")

Order Code	Description	Pressure Setting	List Price
HT501	HT55 15mm (1/2")	500kPa	154.17
HT503	HT55 15mm (1/2")	700kPa	154.17
HT505	HT55 15mm (1/2")	850kPa	135.49
HT507	HT55 15mm (1/2")	1000kPa	135.49
HT511	HT55 15mm (1/2")	1400kPa	135.49



HT707

## P&T Relief Valves – HT575 20mm (3/4")

Order Code	Description	Pressure Setting	List Price
HT701	HT575 20mm (3/4")	500kPa	186.92
HT703	HT575 20mm (3/4")	700kPa	186.92
HT705	HT575 20mm (3/4")	850kPa	186.92
HT707	HT575 20mm (3/4")	1000kPa	186.92
HT711	HT575 20mm (3/4")	1400kPa	186.92



HTE504

## P&T Relief Valves – HTE55-1 15mm (1/2") with 1" Extension

Order Code	Description	Pressure Setting	List Price
HTE501	HTE55-1 15mm (1/2") with 1" Extension	700kPa	177.53
HTE502	HTE55-1 15mm (1/2") with 1" Extension	850kPa	177.53
HTE504	HTE55-1 15mm (1/2") with 1" Extension	1000kPa	177.53
HTE506	HTE55-1 15mm (1/2") with 1" Extension	1400kPa	177.53



HTE703

## P&T Relief Valves – HTE575-1 20mm (3/4") with 1" Extension

Order Code	Description	Pressure Setting	List Price
HTE701	HTE575-1 20mm (3/4") with 1" Extension	850kPa	228.95
HTE703	HTE575-1 20mm (3/4") with 1" Extension	1000kPa	228.95
HTE705	HTE575-1 20mm (3/4") with 1" Extension	1400kPa	228.95



HTE509

## P&T Relief Valves – HTE55-2 15mm (1/2") with 2" Extension

Order Code	Description	Pressure Setting	List Price
HTE509	HTE55-2 15mm (1/2") with 2" Extension	850kPa	212.57
HTE511	HTE55-2 15mm (1/2") with 2" Extension	1000kPa	212.57
HTE513	HTE55-2 15mm (1/2") with 2" Extension	1400kPa	212.57



HTE710

## P&T Relief Valves – HTE575-2 20mm (3/4") with 2" Extension

Order Code	Description	Pressure Setting	List Price
HTE710	HTE575-2 20mm (3/4") with 2" Extension	● 850kPa	239.54
HTE709	HTE575-2 20mm (3/4") with 2" Extension	● 1000kPa	239.54



HTT515

## P&T Relief Valves – HTT55-1 15mm (1/2") Integrated Outlet

Order Code	Description	Pressure Setting	List Price
HTT515	HTT55-1 15mm (1/2") with Integrated Outlet	● 700kPa	214.98
HTT516	HTT55-1 15mm (1/2") with Integrated Outlet	● 850kPa	214.98
HTT517	HTT55-1 15mm (1/2") with Integrated Outlet	● 1000kPa	214.98
HTT518	HTT55-1 15mm (1/2") with Integrated Outlet	● 1400kPa	214.98



LTV501

## Pressure, Temperature and Vacuum Relief Valves – Low Pressure

Order Code	Description	Pressure Setting	List Price
LTV501	LTV55 15mm (1/2")	Available in 65kpa – 280kPa	584.11
LTV701	LTV575 20mm (3/4")	Available in 65kpa – 280kPa	584.11

When ordering please state required pressure: between 65kPa - 280 kPa.



H502



HPNR503

## Expansion Control Valves – High Pressure

Order Code	Description	Size	Pressure Setting	List Price
H502	H50	15mm (1/2")	● 550kPa	113.32
H504	H50	15mm (1/2")	● 700kPa	100.45
H506	H50	15mm (1/2")	● 850kPa	100.45
H511	H50	15mm (1/2")	● 1200kPa	100.45
H513	H50	15mm (1/2")	● 1400kPa	113.32
H702	H75	20mm (3/4")	● 550kPa	144.88
H703	H75	20mm (3/4")	● 700kPa	144.88
H704	H75	20mm (3/4")	● 850kPa	144.88
H707	H75	20mm (3/4")	● 1200kPa	144.88
H708	H75	20mm (3/4")	● 1400kPa	144.88
HPNR503	HPNR UR	15mm (1/2")	● 1400kPa	189.21



VC137

## Insulation Kit - Standard Set

Order Code	Description	List Price
VC137	Insulation Kit - Standard Set	16.38



HT1012

## Insulator P&T Valve

Order Code	Description	List Price
HT1012	Insulator P&T Valve	4.77



LV501

## Expansion Control Valves – Low Pressure

Order Code	Description	Size	Pressure Setting	List Price
LV501	LV50	15mm (1/2")	Available in 65kPa – 280kPa	496.55
LV701	LV75	20mm (3/4")	Available in 65kPa – 280kPa	496.55

When ordering please state required pressure: between 65kPa - 280 kPa.



PSH508

## Solar Control Combination Valves

Order Code	Description	Size	Pressure Setting	List Price
PSH508	PSH50 – Combination Pressure Limiting and Expansion Valve	15mm (1/2")	350/600kPa	344.68
PSH509	PSH50 – Combination Pressure Limiting and Expansion Valve	15mm (1/2")	500/850kPa	344.68
PHNS507	PHN50S – Combination Pressure Limiting and Expansion Valve with Non Return Valve and Strainer	15mm (1/2")	350/600kPa	455.61
PHNS508	PHN50S – Combination Pressure Limiting and Expansion Valve with Non Return Valve and Strainer	15mm (1/2")	500/850kPa	455.61



PHNS508



SNR505

## Solar Non-Return Valve

Order Code	Description	Maximum Temperature	List Price
SNR505	Solar Non-Return Valve	170°C	64.31




PSL75

## PressureGuard Pressure Limiting Valves – PSL Series

Order Code	Description	Size	Pressure Setting	List Price
PSL511	PSL50	15mm FI x 15mm FI (1/2")	● 350kPa	103.94
PSL512	PSL50	15mm FI x 15mm FI (1/2")	● 500kPa	103.94
PSL513	PSL50	15mm FI x 15mm FI (1/2")	● 600kPa	103.94
PSLC511	PSL50-C	15mm (1/2") MI Compression	● 350kPa	103.94
PSLC512	PSL50-C	15mm (1/2") MI Compression	● 500kPa	103.94
PSLC513	PSL50-C	15mm (1/2") MI Compression	● 600kPa	103.94
PSL714*	PSL75	20mm (3/4") Tapered BSP	● 350kPa	183.42
PSL715*	PSL75	20mm (3/4") Tapered BSP	● 500kPa	183.42
PSL716*	PSL75	20mm (3/4") Tapered BSP	● 600kPa	183.42
PSL721	PSL75-C	20mm (3/4") MI Compression	● 350kPa	183.42
PSL722	PSL75-C	20mm (3/4") MI Compression	● 500kPa	183.42
PSL723	PSL75-C	20mm (3/4") MI Compression	● 600kPa	183.42

In-line design with stainless steel long life seat. Maximum inlet pressure 2000kPa. Operates up to 80°C.


\* Can be used with a 20mm FI x Flare Compression Adaptor (predominantly used in VIC).



PS501

## Pressure Limiting Valves – PS Series – PS50

Order Code	Description	Size	Pressure Setting	List Price
PS501	PS50 72mm Long	15mm FI x 15mm FI (1/2")	● 350kPa	126.21
PS502	PS50 72mm Long	15mm FI x 15mm FI (1/2")	● 500kPa	126.21
PS503	PS50 72mm Long	15mm FI x 15mm FI (1/2")	● 600kPa	126.21
PSC501	PS50-C 76mm Long	15mm (1/2") MI Compression	● 350kPa	126.21
PSC502	PS50-C 76mm Long	15mm (1/2") MI Compression	● 500kPa	126.21
PSC503	PS50-C 76mm Long	15mm (1/2") MI Compression	● 600kPa	126.21



PS701

## Pressure Limiting Valves – PS Series – PS75


Order Code	Description	Size	Pressure Setting	List Price
PS701	PS75 80mm Long	20mm MI x 20mm MI (3/4")	● 350kPa	280.37
PS702	PS75 80mm Long	20mm MI x 20mm MI (3/4")	● 500kPa	280.37
PS703	PS75 80mm Long	20mm MI x 20mm MI (3/4")	● 600kPa	280.37



PS1001

## Pressure Limiting Valves – PS Series – PS100

Order Code	Description	Size	Pressure Setting	List Price
PS1001	PS100 103mm Long	25mm FI x 25mm FI (1")	● 350kPa	613.37
PS1002	PS100 103mm Long	25mm FI x 25mm FI (1")	● 500kPa	613.37
PS1003	PS100 103mm Long	25mm FI x 25mm FI (1")	● 600kPa	613.37



AC47 and AC48

## Gauges for Adjustable Pressure Reducing Valves

Order Code	Description	List Price
AC47	1/8" BSP 0-800kPa for AC50BG	68.05
AC48	1/4" BSP Bottom Entry 0-1000kPa for RMC/SYR	68.05
GAUGE6RE	1/4" BSP Rear Entry 0-1000kPa for RMC/SYR	68.39
TK8	1/8" BSP Bottom Entry Hot Water (86°C) 0-2000kPa	86.18



D508

## Pressure Reducing Valves – Non-Adjustable

Order Code	Description	Size	Pressure Setting	List Price
D501*	D50 15mm (1/2")	15mm MI x 15mm MI	50-100kPa	700.94
D504	D50 15mm (1/2")	15mm MI x 15mm MI	30kPa	700.94
D505	D50 15mm (1/2")	15mm MI x 15mm MI	35kPa	700.94
D508	D50 15mm (1/2")	15mm MI x 15mm MI	50kPa	700.94
D520	D50B 15mm (1/2")	15mm MI x 20mm MI	30kPa	700.94
D521	D50B 15mm (1/2")	15mm MI x 20mm MI	50kPa	700.94

PRVs for low pressure water heaters (Non-Adjustable).

\*When ordering please quote pressure setting required.



CH501

## General Water Applications and Coolers (PRV) – Non-Adjustable

Order Code	Description	Pressure Setting	List Price
CH501	CH50B Combination / Expansion Valve	100-130kPa	689.25



TBV501

## Thermal Balancing Valves

Order Code	Description	List Price
TBV501	15mm FI x 15mm FI Insulated	152.85
TBV701	20mm FI x 20mm FI Insulated	174.69

Automatically controls temperature in a circulating hot water system.



PRV15

## PressureGuard Compact Pressure Reducing Valves – Adjustable

Order Code	Description	Size	Pressure Setting	List Price
PRV15	Compact Pressure Reducing Valve	15mm	150–600kPa	82.98
PRV20	Compact Pressure Reducing Valve	20mm	150–600kPa	96.08
PRV25	Compact Pressure Reducing Valve	25mm	150–600kPa	170.32

Maximum inlet temperature 80°C. Factory set at 500kPa.





PRV25HP

## PressureGuard Compact High Pressure Reducing Valves – Adjustable

Order Code	Description	Size	Pressure Setting	List Price
PRV15HP	Compact High Pressure Reducing Valve	15mm	600–1000kPa	307.40
PRV20HP	Compact High Pressure Reducing Valve	20mm	600–1000kPa	371.00
PRV25HP	Compact High Pressure Reducing Valve	25mm	600–1000kPa	418.70

Maximum inlet temperature 80°C. Factory set at 800kPa.



PRV20R

## PressureGuard Compact Pressure Reducing Valves – Right Angle

Order Code	Description	Size	Pressure Setting	List Price
PRV20R	Right Angle Pressure Reducing Valve	20mm	500kPa	96.08

Maximum inlet temperature 80°C.



PRV50

## Commercial Pressure Reducing Valves

Order Code	Description	Size	Pressure Setting	List Price
PRV50	Commercial Pressure Reducing Valve	50mm Flange	350–750kPa	2085.34
PRV65	Commercial Pressure Reducing Valve	65mm Flange	350–750kPa	2167.12
PRV80	Commercial Pressure Reducing Valve	80mm Flange	350–750kPa	2254.67
PRV100	Commercial Pressure Reducing Valve	100mm Flange	350–750kPa	2575.99

Maximum inlet temperature 60°C. Maximum inlet pressure 2000kPa.



PRV040-1000

## High Pressure Reducing Valves – Adjustable

Order Code	Description	Size	List Price
PRV032-1000	High Pressure Reducing Valve	32mm FI x 32mm FI	457.71
PRV040-1000	High Pressure Reducing Valve	40mm FI x 40mm FI	939.45
PRV050-1000	High Pressure Reducing Valve	50mm FI x 50mm FI	1048.44

PRVs for hot and cold water applications (adjustable). Maximum temperature 80°C. Factory set at 800kPa ± 10%. Adjustable range 600–1000kPa.



PRV015

## Pressure Reducing Valves – Adjustable

Order Code	Description	Size	List Price
PRV015	Pressure Reducing Valve	15mm FI x 15mm FI	93.46
PRV020	Pressure Reducing Valve	20mm FI x 20mm FI	210.28
PRV025	Pressure Reducing Valve	25mm FI x 25mm FI	333.00
PRV032	Pressure Reducing Valve	32mm FI x 32mm FI	455.61
PRV040	Pressure Reducing Valve	40mm FI x 40mm FI	829.44
PRV050	Pressure Reducing Valve	50mm FI x 50mm FI	928.79

PRVs for hot and cold water applications (adjustable). Maximum temperature 80°C. Factory set at 500kPa. Adjustable range 150kPa – 550kPa.



SYRC11



SYRC13

## Spare Parts for General Application Adjustable PRVs

Order Code	Description	Size	List Price
SYRC6	Dial up Model – Complete Cartridge only	25mm	251.22
SYRC7	Dial up Model – Complete Cartridge only	32/40/50mm	397.19
SYRC10	EB25 – Pre-2012 – Complete Cartridge only	15 and 20mm	251.22
SYRC11	EB25 – Pre-2012 – Complete Cartridge only	25mm	262.90
SYRC12	EB25 – Pre-2012 – Complete Cartridge only	32/40/50mm	397.19
SYRC13	EB25 – Current Model – Complete Cartridge only	20mm	131.02
SYRC14	EB25 – Current Model – Complete Cartridge only	25mm	207.44
SYRC15	EB25 – Current Model – Complete Cartridge only	32mm	349.38
SYRC17	EB25 – Current Model – Complete Cartridge only	15mm	131.02
SYRC18	EB25 – Current Model – Complete Cartridge only	40mm	349.38
SYRC19	EB25 – Current Model – Complete Cartridge only	50mm	349.38



NR50HT

## Non-Return Valves

Order Code	Description	Size	List Price
NR50HT	Non-Return Valve	15mm (1/2")	34.50
NR75HT	Non-Return Valve	20mm (3/4")	68.89
NR100HT	Non-Return Valve	25mm (1")	114.53


For typical storage Water Heater applications, Maximum pressure 1400kPa. Maximum temperature 99°C.  
For other applications contact RMC.



NRU501

## Undersink Connection Valves

Order Code	Description	Size	List Price
NRU501	Isolating Non-Return Valve	15mm FI x 15mm MI x 20mm MI	20.74



NI501



NI703

## Combination Non-Return Isolating Valves

Order Code	Description	Size	List Price
NI501	NI50 Duo Valve FI x FI	15mm (1/2")	40.95
NIA501	NI50-A Duo Valve – Internal Flare Fitting	15mm (1/2")	44.99
NIC501	NI50-C Duo Valve – MI Compression Fitting (Nuts and Both Copper and Nylon Olives Included)	15mm (1/2")	42.04
NI701	NI75 Duo Valve	20mm (3/4")	140.18
NI703	NI75-A Duo Valve – Internal Flare Fitting	20mm (3/4")	144.88
NRS501	NR50S Non-Return Valve with Strainer	15mm (1/2")	86.74
NRIS501	NRIS50S Trio Valve – Non-Return Isolating with Strainer	15mm (1/2")	61.90

For typical storage Water Heater applications, Maximum pressure 1400kPa. Maximum temperature 40°C.  
For other applications contact RMC.



7191

## Y Strainers

Order Code	Description	Size	List Price
7191	Y Strainer	15mm (1/2")	15.54
7192	Y Strainer	20mm (3/4")	35.91
7193	Y Strainer	25mm (1")	40.56
7194	Y Strainer	32mm (1 1/4")	56.67
7195	Y Strainer	40mm (1 1/2")	74.09
7196	Y Strainer	50mm (2")	130.76



AVH502

## Vacuum Relief Valves

Order Code	Description	Size	List Price
AVH502	AVH50 Vacuum Relief Valve*	15mm (1/2")	133.20
AVHTS-15	Solar Air Vent RMC	15mm (1/2")	227.86
FXV375	Flexvent – Automatic Air Bleed	10mm (3/8")	239.54

\*Maximum 1400kPa. Maximum 80°C.



FCD09.02

## HydroSave Flow Regulating Discs

Order Code	Description	List Price
FCD09.02	Flow Regulating Disc – 9 l/min – 2 Pack	4.88
FCD12.02	Flow Regulating Disc – 12 l/min – 2 Pack	4.88
FCD06.50	Flow Regulating Disc – 6 l/min – 50 Pack	99.75
FCD09.50	Flow Regulating Disc – 9 l/min – 50 Pack	99.75
FCD12.50	Flow Regulating Disc – 12 l/min – 50 Pack	99.75



ILO9C.01

## HydroSave Inline Flow Controllers

Order Code	Description	List Price
ILO9C.01	Inline Flow Controller Chrome – 9 l/min – 1 Pack	9.98
IL12C.01	Inline Flow Controller Chrome – 12 l/min – 1 Pack	9.98
ILO2C.10	Inline Flow Controller Chrome – 2 l/min – 10 Pack	94.50
ILO4C.10	Inline Flow Controller Chrome – 4 l/min – 10 Pack	94.50
ILO6C.10	Inline Flow Controller Chrome – 6 l/min – 10 Pack	94.50
ILO9C.10	Inline Flow Controller Chrome – 9 l/min – 10 Pack	94.50
IL12C.10	Inline Flow Controller Chrome – 12 l/min – 10 Pack	94.50



AFL08C.01



AML08C.10



AIJ02.01



CHK.01



PV704

## HydroSave Water Saving Aerators

Order Code	Description	List Price
AFL08C.01	Aerator FI Chrome – 8 l/min – 1 Pack	7.88
AFJ02C.10	Aerator FI Chrome – 2 l/min – 10 Pack	66.15
AFL05C.10	Aerator FI Chrome – 5 l/min – 10 Pack	66.15
AFL08C.10	Aerator FI Chrome – 8 l/min – 10 Pack	66.15
AML08C.01	Aerator MI Chrome – 8 l/min – 1 Pack	7.88
AMJ02C.10	Aerator MI Chrome – 2 l/min – 10 Pack	66.15
AML05C.10	Aerator MI Chrome – 5 l/min – 10 Pack	66.15
AML08C.10	Aerator MI Chrome – 8 l/min – 10 Pack	66.15

Includes rubber applicator ring, to be removed after installation.

## HydroSave Water Saving Aerator Inserts

Order Code	Description	List Price
AIJ02.01	Aerator Insert – 2 l/min – 1 Pack	5.78
AIL05.01	Aerator Insert – 5 l/min – 1 Pack	5.78
AIL08.01	Aerator Insert – 8 l/min – 1 Pack	5.78
AIJ02.10	Aerator Insert – 2 l/min – 10 Pack	50.92
AIL05.10	Aerator Insert – 5 l/min – 10 Pack	50.92
AIL08.10	Aerator Insert – 8 l/min – 10 Pack	50.92

Includes rubber applicator ring, to be removed after installation.

## HydroSave Water Saving Kit

Order Code	Description	List Price
CHK.01	Water Saving Kit	40.22

HydroSave Water Saving Kit contains:

- Inline Water Flow Controller – 9 l/min – 2 Pack
- Aerator Insert – 8 l/min – 2 Pack
- Aerator Insert – 5 l/min – 1 Pack
- Aerator Insert – 2 l/min – 1 Pack

## Noise Reduction Valve

Order Code	Description	List Price
PV704	QuietWash (Shell Pack)	61.90

QuietWash Noise Reduction Valves are designed for reducing water hammer in washing machines and dishwashers. Packaged with installation instructions.



ID501

## In-Line Drain Cock

Order Code	Description	Size	List Price
ID501	ID50 In-Line Drain Cock	15mm (1/2")	88.76



TK100

## Plumbers Test Kit

Order Code	Description	List Price
TK100	Plumbers Test Kit	158.86
TK9	Alcohol Thermometer 0 – 100°C	26.61



PVDC503

## Pressure Limiting Value with Dual Check

Order Code	Description	Size	Set Pressure	List Price
PVDC503	Chrome Finish	15mm (1/2") x 8mm (1/4")	350kPa	109.84
PVDC504	Chrome Finish	15mm (1/2") x 8mm (1/4")	500kPa	109.84

Install upstream of water filters. Reduces back flow, water pressure and controls flow. Inlet pressure: 1200kPa. Maximum temperature: 40°C.



FG501

## FloodGuard™ Hose Burst Shut Off Valve

Order Code	Description	Size	List Price
FG500	Brass Finish (Shell Pack)	15mm (1/2")	42.40
FG501	Brass Finish (Shell Pack)	20mm (3/4")	46.72
FGI500	Isolation Valve	15mm (1/2")	47.70

Shut down valve to help reduce the extent of flooding in the event of a hose burst. Inlet minimum pressure: 200kPa. Maximum temperature: 85°C.



FGI500

7001



## Sioux Chief Hydra-Rester (Boxed) 15mm – 50mm

Order Code	Description	Size	List Price
7001	Hydra-Rester – A Size	15mm	50.61
7002	Hydra-Rester – B Size	20mm	71.27
7003*	Hydra-Rester – C Size	25mm	173.69
7004*	Hydra-Rester – D Size	32mm	199.00
7005*	Hydra-Rester – E Size	40mm	242.26
7006*	Hydra-Rester – F Size	50mm	388.58

\*25mm BSP Inlet Thread.

7008



## Sioux Chief Hydra-Rester (Carded Hang-Sell) 15mm – 20mm

Order Code	Description	Size	List Price
7000	Hydra-Rester – A Size	15mm	50.61
7008	Conetite Tee – A Size	15mm	58.62
7010	Washing Machine/Dishwasher Chrome – A Size	20mm	62.62

7012



## Sioux Chief Mini-Rester (Carded Hang-Sell) 15mm – 20mm

Order Code	Description	Size	List Price
7012	Dishwasher – AA size	20mm	46.61
7013	Mini-Rester with Conetite Tee – AA size	15mm	46.61





A10-002



A18-002

## HydroSeal O-Ring Tap Valves

Order Code	Description	Size	Carton Size	List Price
A10-002	HydroSeal Tap Valve – 2 Pack*	12mm (1/2")	28	147.00
A10-010	HydroSeal Tap Valve – 10 Pack*	12mm (1/2")	10	257.20
A10-100	HydroSeal Tap Valve – 100 Pack	12mm (1/2")	-	252.00
A18-002	HydroSeal Anti-Hammer Tap Valve – 2 Pack*	12mm (1/2")	14	130.76
A18-050	HydroSeal Anti-Hammer Tap Valve – 50 Pack	12mm (1/2")	-	231.00

\*Only available in indicated carton quantities (prices per carton).



A30-001

## HydroSeal Tap Restoration Tools

Order Code	Description	Size	List Price
A30-001	HydroSeal Tap Seat Refacing Tool	12mm (1/2")	35.49
A30-002	HydroSeal Replacement Cutter for Tap Seat Refacing Tool	12mm (1/2")	16.38
A30-019	HydroSeal Tungsten Carbide Replacement Cutter for Tap Seat Refacing Tool	12mm (1/2")	64.42
A30-009	HydroSeal Extended Shaft for Tap Seat Refacing Tool – 160mm	-	17.48
A30-004	HydroSeal Replacement Cutter	15mm (5/8")	18.85
A30-005	HydroSeal Replacement Cutter	20mm (3/4")	22.36
A60-001	HydroSeal Nipple Cutter and Brass Catcher	-	94.24
A40-001	HydroSeal Tap Bonnet Thread Cleaner	12mm (1/2")	14.49



A30-006

## HydroSeal Tap Restoration Kits

Order Code	Description	List Price
A30-006	HydroSeal Adaptor Kit for Tap Seat Refacing Tool	47.78
A35-001	HydroSeal Tap Restoration Kit	58.43
A55-001	HydroSeal Tap Seat Replacement Kit	44.78
A40-010	HydroSeal Threading Tool and Bush	27.30
A55-006	HydroSeal Stainless Steel Seats and Washers – 6 Pack	20.21
A55-030	HydroSeal Stainless Steel Seats and Washers – 30 Pack	99.91
A55-010	HydroSeal Teflon Washer	9.45




A45-001

## HydroSeal Lubricants

Order Code	Description	Size	Tubes Per Carton	List Price
A45-001	HydroSeal Tap Lubricant	15g Tube	10	50.40
A45-002	HydroSeal Tap Lubricant	40g Tube	15	114.90

Only available in indicated carton quantities (prices per carton).



7610N

## Electronic Washing Systems

Order Code	Description	List Price
7610N	Monotronic 1 – Touch Free Washing System	346.50



7680

## Electronic Flushing Systems

Order Code	Description	List Price
7680	Inset Mount Flushtronic Single Stall Automatic Urinal Flushing System	777.00
7690	Inset Mount Flushtronic Wide Trough Automatic Urinal Flushing System	777.00
7675	Surface Mount Flushtronic Single Stall Automatic Urinal Flushing System	777.00
7685	Surface Mount Flushtronic Wide Trough Automatic Urinal Flushing System	777.00



7604R

## Spare Parts and Accessories – Monotronic

Order Code	Description	List Price
7191	Y Strainer 15mm	15.54
7604R	Monotronic 1 Wall Mounted Sensor	168.00
7628R	Monotronic 2 Sensor Base Complete	147.00
7636R	Solenoid Valve 6V	63.00
7637	Flushtronic 15mm Solenoid Valve 12V	42.00
7666R	Battery Holder	33.60
7667R	Battery	57.75
7668R	Extension Cable	15.75



WM273MRP



WM322MRP

## Endurance Multijet Turbine Water Meters 15mm – 50mm

Order Code	Description	Size	Couplings*	List Price
WM273MRP	DC Meter Thread	20mm	MC208, 216	107.61
WM274MRP	DC NSW Thread	20mm	MC200, 1, 6, 7, 215	107.61
WM275MRP	DC BSP Thread	20mm	MC204, 217	107.61
WM281MRP	BSP Thread – Lavender	20mm	MC204, 217	116.77
WM270MRP	DC NSW Thread	25mm	1N141, 2	246.13
WM271MRP	DC Meter Thread	25mm	1N131	246.13
WM272MRP	DC BSP Thread	25mm	MC250	246.13
WM322MRP +	Oval Flange (Single Check)	32mm	1N148	337.72
WM402MRP +	Oval Flange	40mm	1N149	549.50
WM514MRP +	300mm Long	50mm	1N154	612.47
WM598	Reed Switch (Clip In Type Suit MRP Range)	20-40mm	–	74.41

20mm and 25mm meters are NMI and WaterMark approved. Pulse capable. Meters are for horizontal installation only. Maximum temperature 50°C.

\* See page 25 for coupling details. + Non trade use only. No NMI or WaterMark approval.



WM212PD

## Polymer Positive Displacement Water Meters 15mm - 20mm

Order Code	Description	Size	Couplings*	List Price
WM151PD	PD BSP Thread	15mm	MC150	127.20
WM211PD	PD NSW Thread	20mm	MC200, MC201, MC206, MC207, MC215	137.80
WM212PD	PD Meter Thread	20mm	MC203, MC208, MC216	137.80
WM213PD	PD BSP Thread	20mm	MC204	137.80
WMRS1	Optical Encoder Polymer PD Thread	35mm x 97mm x 73mm		181.05

Meters manufactured or approved to AS 3565. NMI and WaterMark approved. Meters are pulse capable. Maximum temperature 50°C.

\* See page 25 for coupling details.



WM202PD



WMRS5-5

## Positive Displacement Water Meters 15mm – 40mm

Order Code	Description	Size	Couplings*	List Price
WM201PD	PD NSW Thread	20mm	MC200, 1, 6, 7, 215	116.77
WM202PD	Meter Thread	20mm	MC208, 216	116.77
WM203PD	PD BSP Thread	20mm	MC204	116.77
WM205PD	PD Gold Coast Council	20mm	–	121.90
WM251PD	PD NSW Thread	25mm	1N141, 1N142	257.58
WM252PD	PD Meter Thread	25mm	1N131	257.58
WM253PD	PD Meter Thread - QUU	25mm	1N131	257.58
WM320PD	Oval Flange	32mm	1N148	540.60
WM400PD	Oval Flange	40mm	1N149	657.20
WMRS5-5	V100 Reed Switch	5M	–	74.20

Meters manufactured or approved to AS 3565 / ISO 4064. All meters NMI and WaterMark approved. Maximum temperature 50°C.

\* See page 25 for coupling details.



WM500WST

## Woltman Industrial ISO Length Water Meter 50mm – 200mm

Order Code	Description	Size	Length	List Price
WM500WST	ISO Length	50mm	200mm	658.26
WM650WST	ISO Length	65mm	200mm	767.02
WM800WST	ISO Length	80mm	230mm	772.74
WM1000WST	ISO Length	100mm	250mm	995.98
WM1500WST	ISO Length	150mm	300mm	1597.00

Approved utility use only. No WaterMark. Flanged table D. Pulse output included with meter.  
Maximum temperature 50°C.



WM501WST

## Woltman Industrial Australian Length Water Meter 50mm – 200mm

Order Code	Description	Size	Length	List Price
WM501WST	Australian Length	50mm	311mm	778.46
WM801WST	Australian Length	80mm	413mm	1184.87
WM1001WST	Australian Length	100mm	483mm	1373.76
WM1501WST	Australian Length	150mm	500mm	1969.06
WM2001WST	Australian Length	200mm	520mm	2249.53

Approved utility use only. No WaterMark. Flanged table D. Pulse capable.  
Maximum temperature 50°C.



WMSP011

## Woltman Meters Pulse Output Accessories

Order Code	Description	List Price
WMSP011	50mm Kit (Includes Register and Reed Switch Set)	160.27
WMSP014	65mm Kit (Includes Register and Reed Switch Set)	160.27
WMSP012	80mm Kit (Includes Register and Reed Switch Set)	160.27
WMSP013	100mm Kit (Includes Register and Reed Switch Set)	160.27
WMSP004	150mm Kit (Includes Register and Reed Switch Set)	160.27
WMSP005	200mm Kit (Includes Register and Reed Switch Set)	160.27
WMRS6	Reed Switch for 50 – 200mm Woltman Meters (Reed Switch Only – Does Not Include Register)	92.73



WM1500OCTSS



WM500OCT

## Octave Ultrasonic Industrial 50mm – 300mm

Order Code	Description	Size	List Price
WM500OCTSS	Threaded – ISO Length Stainless Steel	DN50	1950.00
WM500OCT** +	Flanged – ISO Length	DN50	POR
WM500OCTSS +	Flanged – ISO Length Stainless Steel	DN50	1828.50
WM650OCT** +	Flanged – ISO Length	DN65	POR
WM800OCT +	Flanged – ISO Length	DN80	POR
WM800OCTSS +	Flanged – ISO Length Stainless Steel	DN80	2045.80
WM1000OCT** +	Flanged – ISO Length	DN100	POR
WM1000OCTSS +	Flanged – ISO Length Stainless Steel	DN100	3047.50
WM1500OCT** +	Flanged – ISO Length	DN150	POR
WM1500OCTSS +	Flanged – ISO Length Stainless Steel	DN150	4876.00
WM2000OCT +	Flanged – ISO Length Cast Iron	DN200	5119.80
WM2500OCT +	Flanged – ISO Length Cast Iron	DN250	6277.85
WM3000OCT +	Flanged – ISO Length Cast Iron	DN300	9508.20

\* Threaded versions are provided with couplings. WaterMark approved.

\*\* Please note these items will be discontinued when all stock on hand is exhausted.

+ Approved utility use only. No WaterMark.

All meters are NMI approved. Maximum temperature 50°C. POR = Price On Request.  
Digital dual pulse output included with meter.



WMR014

## Octave Meters Pulse Output Accessories

Order Code	Description	List Price
WMR010	Octave 4-20mA Output	269.10
WMR011	Octave Dual Pulse Output	190.80
WMR012	Octave SSR Output	269.10
WMR013	Octave M-Bus Output	269.10
WMR014	Octave MODBUS Output	227.68



WM177

## Round Flange Water Meter Spacers

Order Code	Description	List Price
WM177	DN50 x 100mm Flanged Spacer	245.74
WM178	DN80 x 188mm Flanged Spacer	280.90
WM179	DN100 x 233mm Flanged Spacer	375.24
WM180	DN150 x 200mm Flanged Spacer	411.81



WMPC2

## Remote Digital Displays

Order Code	Description	List Price
WMPC2	Flexi-Reader Pulse Counter (Digital readout programmable for a range of pulse rates from 1.5 to 1,000 litre pulses)	171.72
WMPC4	Battery Holder	21.20



7255



## Recycled Water Kits

Order Code	Description	Size	List Price
7255	Recycled Water Kit – (5/8")	21mm MI	41.16
7260	Recycled Water Kit – (5/8")	21mm MI	41.16
7265	Recycled Water Kit – (5/8")	15mm FI x 150mm	50.94
7270	Recycled Water Kit – (5/8")	15mm FI x 300mm	58.27
7281	Recycled Water Hose Bib Kit	–	43.50
12615	Lilac Key for Tap	–	5.30



WMKIT211

## Water Meter Kits

Order Code	Description	Size	List Price
WMKIT211	Multijet, Pulse Capable – Meter Thread Complete with Couplings (MC208)	20mm	128.22
WMKIT211WA	Multijet, Pulse Capable – Meter Thread Complete with Couplings (MC202)	20mm	128.22
WMKIT211R	Multijet, Pulse Capable – Meter Thread – Recycled	20mm	128.22
WMKIT271	Multijet, Pulse Capable – Meter Thread Complete with Couplings (1N131)	25mm	247.28
WMKIT230	Positive Displacement – PD Meter Thread Complete with Couplings	20mm	104.75
WMKIT231	Positive Displacement – PD NSW Thread Complete with Couplings	20mm	110.47
WMKIT272	Positive Displacement – PD Meter Thread Complete with Couplings	25mm	247.28
WMKIT273	Positive Displacement – PD NSW Thread Complete with Couplings	25mm	247.28

All kits NMI and WaterMark approved. Max temp 50°C.



KIT227Q

## Sub Metering Kits

Order Code	Description	List Price
KIT227EX	Sub Metering Bracket with Extendable Coupling	148.82
KIT227Q	Sub Metering Bracket – QUU	159.00
KIT232	Sub Metering Kit – NSW – DN20	148.40
KIT233	Sub Metering Kit – NSW with Spacer – DN20	222.60



WM90

## Meter Housings

Order Code	Description	Size	List Price
WM90	Water Meter Box – Complete with Black Lid	368mm (L) x 271mm (W) x 316mm (D)	49.80
WMBOX200	Water Meter Box – Large Shallow (Taper) – Complete with Black Lid	492mm (L) x 271mm (W) x 220 (D)	68.69
WMBOX202	Water Meter Box (Gold Coast – Low Profile)	430mm (L) x 270mm (W) x 220 (D)	68.69
WMBOX203	Water Meter Box (Gold Coast – High Profile)	430mm (L) x 270mm (W) x 275 (D)	82.43
WMBOX204	Water Meter Box – Large Rev Taper – Complete with Green Lid (Holes not drilled)	–	82.43
WMBOX206	Water Meter Box – Dradual 600/1 Gold Coast	–	108.76
WMBOX209	Water Meter Box – Base	–	26.50
WMLID	Water Meter Box – Lid	–	159.00



KIT238

## Water Meter Box Kits

Order Code	Description	Size	List Price
KIT238	Single Meter Box – Reverse Taper, 2 Lockable Ball Valves, 1 Spacer, 2 Meter Couplings (Supplied with 2 GCC approved brass PE x FI unions)	20mm	365.70



BVLH75FF

## Water Service Ball Valves

Order Code	Description	Size	List Price
BVLH75FF*	Long Handle	20mm FI x 20mm FI	40.07
BVLH75MF*	Long Handle	20mm MI x 20mm FI	34.92
BVLH25MF*	Long Handle	25mm MI x 25mm FI	45.79
BVSH75MF	Short Handle – Straight Ball Valve (Not Lockable)	20mm MI x 20mm FI	34.92

\* Lockable in either the open or closed positions.




RB9020FF

## 90° Water Service Ball Valves – Lockable

Order Code	Description	List Price
RB9020FF	20mm FI x 20mm FI	37.21
RB9020FM	20mm FI x 20mm MI	44.65
RB9020CF	20mm C x 20mm FI	44.65
RB9020FF-SS	20mm FI x 20mm FI Stainless Steel	57.66
RB900	20mm C x NSW Meter Coupling	54.38
RB902	20mm FI x NSW Meter Coupling	84.72
RB9025FF	25mm FI x 25mm FI	51.52
JB250	25mm FI x 25mm NSW Meter Coupling	91.58
JB251	25mm FI x 25mm Meter Coupling	116.77

All lockable in either the open or closed positions.





BVLH75MF-R

## Recycled Water Ball Valves


Order Code	Description	Size	List Price
BVLH75MF-R	Recycled Water Service Ball Valve – (Lockable in closed or open position)	Long Handle 20mm	37.21
BVLH25MF-R	Recycled Water Service Ball Valve – (Lockable in closed or open position)	Long Handle 25mm	45.79
RB9020FF-R	90° Recycled Water Service Ball Valve – (Lockable)	20mm FI x 20mm FI	40.64



KIT205

## Melbourne Water Kits


Order Code	Description	Size	List Price
KIT205	Meter Connection Kit	20mm	77.85
KIT250	Meter Connection Kit	25mm	171.72



KIT201

## Hunter Water Kits

Order Code	Description	Size	List Price
KIT201	Meter Connection Kit	20mm	194.62
KIT204	Meter Connection Kit	20mm Drilling 25mm Service	240.41
KIT225	Meter Connection Kit – Pre-Laid Mains	20mm	42.93
KIT251	Meter Connection Kit	25mm	400.68
KIT320	Meter Connection Kit	32mm	463.64



MC150

## Meter Couplings

Order Code	Description	Size	List Price
MC150	BSP Nut - Standard	15mm MI	9.28
MC203	Meter Nut - Security	20mm MI	10.07
MC207*	NSW Nut - Long	20mm FI	14.31
MC206*	NSW Nut - Standard	20mm FI	17.17
MC201*	NSW Nut - Security	20mm MI	17.17
MC208	Meter Nut - Standard	20mm MI	10.88
MC204	BSP Nut - Standard	20mm MI	10.88
MC202	Meter Nut - Long WA	20mm MI	13.17
MC215	NSW Nut - Extendable	20mm FI	22.90
MC216**	Meter Nut - Extendable	20mm FI	22.90
MC250	BSP Nut - Standard	25mm MI	24.61
1N131	Meter Nut - Standard	25mm MI	33.77
1N141*	NSW Nut - Standard	25mm MI	33.77
1N142*	NSW Nut - Standard	25mm FI	33.77

\*Sealing Gaskets NOT required.

\*\*MC39 Gasket not included.

Additional Gaskets may be purchased separately.



1N148

## Meter Flange, Seal and Bolt Kits

Order Code	Description	Size	List Price
1N148*	Oval Flange Kit	32mm	61.82
1N149*	Oval Flange Kit	40mm	74.41
1N154**	Round Flange Kit	50mm	121.35
1N155**	Round Flange Kit	80mm	151.11

\*Contains 1 Flange, 1 Seal, and 2 Bolts.

\*\*Contains 1 Flange, 1 Seal, and 4 Bolts.

## Meter Gaskets and Sealing Rings

Order Code	Description	Size	List Price
MC39	Meter or BSP Thread Gasket	20mm	1.27
1N131-5	Meter or BSP Thread Gasket	25mm	1.06
WM47	NSW Sealing Ring	20mm	2.12



1N114

## Meter Dirt Boxes

Order Code	Description	Size	List Price
1N114	Round Flanged – Length 200mm	50mm	549.50
1N111	Round Flanged – Length 225mm	80mm	738.40
1N112	Round Flanged – Length 250mm	100mm	933.01
1N113	Round Flanged – Length 300mm	150mm	1659.96

Approved utility use only. No WaterMark.



47026-08DR

## Ball Valves – Potable Water Approved

Order Code	Description	Size	List Price
47026-08DR	Ball Valve	15mm FI x 15mm FI	23.95
47026-12DR	Ball Valve	20mm FI x 20mm FI	32.39
47026-16DR	Ball Valve	25mm FI x 25mm FI	47.84
47026-20DR	Ball Valve	32mm FI x 32mm FI	78.30
47026-24DR	Ball Valve	40mm FI x 40mm FI	125.67
47026-32DR	Ball Valve	50mm FI x 50mm FI	189.16



BVWS20FF-L

## Water Service Ball Valves – Water Approved (Long Handle)

Order Code	Description	Size	List Price
BVWSR20FF-L	Water Service Ball Valve – RA	20mm FI x 20mm FI	23.96
BVWS20MF-L	Water Service Ball Valve	20mm MI x 20mm FI	20.32
BVWS25MF-L	Water Service Ball Valve	25mm MI x 25mm FI	31.10

All above listed Ball Valves are lockable.



47026-04BG

## Ball Valves Butterfly Handle – Gas Approved

Order Code	Description	Size	List Price
47026-04G	Lever Handle	6mm FI x 6mm FI	8.76
47026-06G	Lever Handle	10mm FI x 10mm FI	9.20
47026-08G	Lever Handle	15mm FI x 15mm FI	10.82
47026-12G	Lever Handle	20mm FI x 20mm FI	15.90
47026-16G	Lever Handle	25mm FI x 25mm FI	22.18
47026-20G	Lever Handle	32mm FI x 32mm FI	35.79
47026-24G	Lever Handle	40mm FI x 40mm FI	51.69
47026-32G	Lever Handle	50mm FI x 50mm FI	76.08
47026-04BG	Butterfly Handle	6mm FI x 6mm FI	8.65
47026-06BG	Butterfly Handle	10mm FI x 10mm FI	9.08
47026-08BG	Butterfly Handle	15mm FI x 15mm FI	10.82
47026-12BG	Butterfly Handle	20mm FI x 20mm FI	15.90
47026-16BG	Butterfly Handle	25mm FI x 25mm FI	22.18
47072-08G	Lever Handle	15mm MI x 15mm FI	10.82
47072-12G	Lever Handle	20mm MI x 20mm FI	15.90
47072-16G	Lever Handle	25mm MI x 25mm FI	22.18
47072-04BG	Butterfly Handle	6mm MI x 6mm FI	9.20
47072-06BG	Butterfly Handle	10mm MI x 10mm FI	9.89
47072-08BG	Butterfly Handle	15mm MI x 15mm FI	10.82
47072-12BG	Butterfly Handle	20mm MI x 20mm FI	15.90
47072-16BG	Butterfly Handle	25mm MI x 25mm FI	22.18



BV201SS

## Ball Valves – Water Approved (Stainless Steel)

Order Code	Description	Size	List Price
BV151SS	1 piece SS Ball Valve	15mm FI x 15mm FI	18.51
BV201SS	1 piece SS Ball Valve	20mm FI x 20mm FI	23.51
BV251SS	1 piece SS Ball Valve	25mm FI x 25mm FI	31.08
BV152SS	2 piece SS Ball Valve	15mm FI x 15mm FI	18.51
BV202SS	2 piece SS Ball Valve	20mm FI x 20mm FI	25.92
BV252SS	2 piece SS Ball Valve	25mm FI x 25mm FI	37.77
BV322SS	2 piece SS Ball Valve	32mm FI x 32mm FI	58.32
BV402SS	2 piece SS Ball Valve	40mm FI x 40mm FI	77.76
BV502SS	2 piece SS Ball Valve	50mm FI x 50mm FI	112.01
BV153SS	3 piece SS Ball Valve	15mm FI x 15mm FI	25.47
BV203SS	3 piece SS Ball Valve	20mm FI x 20mm FI	37.77
BV253SS	3 piece SS Ball Valve	25mm FI x 25mm FI	51.03
BV323SS	3 piece SS Ball Valve	32mm FI x 32mm FI	73.67
BV403SS	3 piece SS Ball Valve	40mm FI x 40mm FI	118.22
BV503SS	3 piece SS Ball Valve	50mm FI x 50mm FI	164.47

All above listed Ball Valves are not WaterMark approved.



BVG15FF

## Ball Valves Lever Handle – Gas Approved

Order Code	Description	Size	List Price
BVG06FF	Gas Ball Valve	6mm FI x 6mm FI	7.85
BVG08FF	Gas Ball Valve	8mm FI x 8mm FI	7.88
BVG10FF	Gas Ball Valve	10mm FI x 10mm FI	8.30
BVG100FF	Gas Ball Valve	100mm FI x 100mm FI	536.22
BVG15FF	Gas Ball Valve	15mm FI x 15mm FI	9.98
BVFG15-BHB	Flared Gas Ball Valve – BSP	15mm	15.09
BVFG15-BHS	Flared Gas Ball Valve – SAE	15mm	15.09
BVG15MF	Gas Ball Valve	15mm MI x 15mm FI	9.98
BVG15MF-BH	Gas Ball Valve – BH	15mm MI x 15mm FI	9.98
BVG20FF	Gas Ball Valve	20mm FI x 20mm FI	14.49
BVFG20-BHB	Flared Gas Ball Valve – BSP	20mm	22.82
BVG20MF	Gas Ball Valve	20mm MI x 20mm FI	14.49
BVG20MF-BH	Gas Ball Valve – BH	20mm MI x 20mm FI	14.49
BVG25FF	Gas Ball Valve	25mm FI x 25mm FI	19.69
BVG32FF	Gas Ball Valve	32mm FI x 32mm FI	34.39
BVG40FF	Gas Ball Valve	40mm FI x 40mm FI	47.88
BVG50FF	Gas Ball Valve	50mm FI x 50mm FI	71.66
BVG65FF	Gas Ball Valve	65mm FI x 65mm FI	249.50
BVG80FF	Gas Ball Valve	80mm FI x 80mm FI	342.46



BV15FF

## Ball Valves – Gas and Water Approved

Order Code	Description	Size	List Price
BV06FF	Gas and Water Ball Valve	6mm FI x 6mm FI	7.54
BV08FF	Gas and Water Ball Valve	8mm FI x 8mm FI	9.20
BV10FF	Gas and Water Ball Valve	10mm FI x 10mm FI	8.30
BV100FF	Gas and Water Ball Valve	100mm FI x 100mm FI	536.22
BV15FF	Gas and Water Ball Valve	15mm FI x 15mm FI	12.75
BV15FF-BH	Gas and Water Ball Valve – BH	15mm FI x 15mm FI	12.12
BV15MF	Gas and Water Ball Valve	15mm MI x 15mm FI	13.77
BV15MF-BH	Gas and Water Ball Valve – BH	15mm MI x 15mm FI	12.81
BV20FF	Gas and Water Ball Valve	20mm FI x 20mm FI	17.67
BV20FF-BH	Gas and Water Ball Valve – BH	20mm FI x 20mm FI	17.03
BV20FF-E	Gas and Water Ball Valve – EXT H	20mm FI x 20mm FI	22.84
BV20MF	Gas and Water Ball Valve	20mm MI x 20mm FI	19.17
BV20MF-BH	Gas and Water Ball Valve – BH	20mm MI x 20mm FI	18.08
BV25FF	Gas and Water Ball Valve	25mm FI x 25mm FI	28.06
BV25FF-E	Gas and Water Ball Valve – EXT H	25mm FI x 25mm FI	36.72
BV32FF	Gas and Water Ball Valve	32mm FI x 32mm FI	49.64
BV32FF-E	Gas and Water Ball Valve – EXT H	32mm FI x 32mm FI	61.25
BV40FF	Gas and Water Ball Valve	40mm FI x 40mm FI	71.12
BV40FF-E	Gas and Water Ball Valve – EXT H	40mm FI x 40mm FI	86.81
BV50FF	Gas and Water Ball Valve	50mm FI x 50mm FI	99.03
BV50FF-E	Gas and Water Ball Valve – EXT H	50mm FI x 50mm FI	137.09
BV65FF	Gas and Water Ball Valve	65mm FI x 65mm FI	249.50
BV80FF	Gas and Water Ball Valve	80mm FI x 80mm FI	342.46



7105 and 7105.2

## Hose Connection Vacuum Breakers – Low Hazard

Order Code	Description	Size	List Price
7105	Hose Connection Vacuum Breaker	20mm	13.56
7105.2	Hose Connection Vacuum Breaker – Chrome	20mm	21.49
7107	Hose Connection Vacuum Breaker	25mm	19.66
7107.2	Hose Connection Vacuum Breaker – Chrome	25mm	29.83

Operating pressure 1400kPa. Maximum temperature 60°C.



N7B200

## Dual Check Valves (Dual CV) – Low Hazard

Order Code	Description	List Price
N7B200	20mm FI x 20mm FI	44.22
N7320	32mm FI x 32mm FI	224.04
N7400	40mm FI x 40mm FI	312.48



N7155

## High Temperature Dual Check Valve (Dual CV) – Low Hazard

Order Code	Description	List Price
N7155	15mm Hi Temp Dual Check Valve	77.83

Operating pressure 1400kPa. Maximum temperature 90°C.



7185

## RyeMetal Mini Dual Check Valves (Dual CV) 60°C – Low Hazard

Order Code	Description	Size	List Price
7185	Mini Dual Check Valve	15mm MI x 15mm MI	21.70
7185.2	Mini Dual Check Valve – Chrome	15mm MI x 15mm MI	24.41
7186	Mini Dual Check Valve	15mm MI x 15mm FI	28.47
7186.2	Mini Dual Check Valve – Chrome	15mm MI x 15mm FI	32.54

Operating pressure 1400kPa. Maximum temperature 60°C.



7179

## RyeMetal Mini Dual Check Valves (Dual CV) 80°C – Low Hazard

Order Code	Description	Size	List Price
7179*	Mini Dual Check Valve	20mm MI x 20mm FI	36.61
7179.2*	Mini Dual Check Valve – Chrome	20mm MI x 20mm FI	54.24
7179SC.2	Mini Dual Check Valve - Chrome	20mm FI x 20mm MI	54.24

\*To suit 15mm (1/2") Hose Taps

Operating pressure 1400kPa. Maximum temperature 80°C.




7181

## RyeMetal Dual Check Valves (Dual CV) 60°C – Low Hazard

Order Code	Description	Size	List Price
7181	Dual Check Valve	20mm FI x 20mm FI	36.61
7182	Dual Check Valve	25mm FI x 25mm FI	36.61
7171	Dual Check Valve	20mm FI x 20mm MI	47.46
7172	Dual Check Valve	25mm FI x 25mm MI	48.81

Operating pressure 1400kPa. Maximum temperature 60°C.



SR001

## Flomatic Reduced Pressure Zone Devices (15mm – 50mm)

Order Code	Description	Size	List Price
SR001	RPZD – Device Only	15mm	411.51
SR002	RPZD – Device Only	20mm	496.42
SR003	RPZD – Device Only	25mm	522.55
SR004	RPZD – Device Only	32mm	777.29
SR005	RPZD – Device Only	40mm	849.14
SR006	RPZD – Device Only	50mm	947.13



SR007

## Flomatic Reduced Pressure Zone Devices (65mm – 200mm)

Order Code	Description	Size	List Price
SR007	RPZD – Device Only	65mm	2743.37
SR008	RPZD – Device Only	80mm	2939.33
SR009	RPZD – Device Only	100mm	3919.10
SR010	RPZD – Device Only	150mm	6597.16
SR011	RPZD – Device Only	200mm	12358.24



SR001C

## Flomatic Reduced Pressure Zone Devices Complete (15mm – 50mm)


Order Code	Description	Size	List Price
SR001C	RPZD – Complete	15mm	463.76
SR001C-L	RPZD – Complete – Lockable BVs	15mm	463.76
SR002C	RPZD – Complete	20mm	555.21
SR002C-L	RPZD – Complete – Lockable BVs	20mm	555.21
SR003C	RPZD – Complete	25mm	633.58
SR003C-L	RPZD – Complete – Lockable BVs	25mm	633.58
SR004C	RPZD – Complete	32mm	862.20
SR004C-L	RPZD – Complete – Lockable BVs	32mm	862.20
SR005C	RPZD – Complete	40mm	1110.41
SR005C-L	RPZD – Complete – Lockable BVs	40mm	1110.41
SR006C	RPZD – Complete	50mm	1241.05
SR006C-L	RPZD – Complete – Lockable BVs	50mm	1241.05



SR007C

## Flomatic Reduced Pressure Zone Devices Complete (65mm – 200mm)

Order Code	Description	Size	List Price
SR007C	RPZD – Complete	65mm	3004.65
SR008C	RPZD – Complete	80mm	3265.92
SR009C	RPZD – Complete	100mm	4311.01
SR010C	RPZD – Complete	150mm	7054.39
SR011C	RPZD – Complete	200mm	15458.69



SD002

## Flomatic Double Check Valves (20mm – 50mm)

Order Code	Description	Size	List Price
SD002	DCV Device Only	20mm	274.33
SD003	DCV Device Only	25mm	300.46
SD004	DCV Device Only	32mm	482.63
SD005	DCV Device Only	40mm	568.27
SD006	DCV Device Only	50mm	646.65





SD007

## Flomatic Double Check Valves (65mm – 200mm)

Order Code	Description	Size	List Price
SD007	DCV Device Only	65mm	2090.19
SD008	DCV Device Only	80mm	2286.14
SD009	DCV Device Only	100mm	3265.92
SD010	DCV Device Only	150mm	5094.84
SD011	DCV Device Only	200mm	10346.44



SD002C

## Flomatic Double Check Valves Complete (20mm – 50mm)

Order Code	Description	Size	List Price
SD002C	DCV Complete	20mm	352.72
SD002C-L	DCV Complete – Lockable BVs, Strainers & Unions	20mm	352.72
SD003C	DCV Complete	25mm	391.91
SD003FS	DCV Complete – Lockable BVs – Fire Services	25mm	324.80
SD003C-L	DCV Complete – Lockable BVs, Strainers & Unions	25mm	391.91
SD004C	DCV Complete	32mm	695.52
SD004C-L	DCV Complete – Lockable BVs, Strainers & Unions	32mm	695.52
SD005C	DCV Complete	40mm	823.01
SD005C-L	DCV Complete – Lockable BVs, Strainers & Unions	40mm	823.01
SD006C	DCV Complete	50mm	1058.15
SD006C-L	DCV Complete – Lockable BVs, Strainers & Unions	50mm	1058.15



SD007C

## Flomatic Double Check Valves Complete (65mm – 200mm)

Order Code	Description	Size	List Price
SD007C	DCV Complete	65mm	2612.74
SD008C	DCV Complete	80mm	2874.01
SD009C	DCV Complete	100mm	3657.83
SD009FS	DCV Complete – 2x GO Butterfly Valves – Fire Services	100mm	3528.00
SD010C	DCV Complete	150mm	6139.93
SD010FS	DCV Complete – 2x GO Butterfly Valves – Fire Services	150mm	5572.00
SD011C	DCV Complete	200mm	13847.50



SCV150G

## Flomatic Single Check Valves

Order Code	Description	Size	List Price
SCV100	Single Check Valve – Flanged	100mm	1512.00
SCV150	Single Check Valve – Flanged	150mm	2286.14
SCV100G	Single Check Valve – Grooved	100mm	1512.00
SCV150G	Single Check Valve – Grooved	150mm	2286.14



SDCV100G

## Flomatic Single Detector Check Valves

Order Code	Description	Size	List Price
SDCV100*	Single Detector Check Valve – Flanged	100mm	1512.00
SDCV150*	Single Detector Check Valve – Flanged	150mm	2286.14
SDCV100G*	Single Detector Check Valve – Grooved	100mm	1512.00
SDCV150G*	Single Detector Check Valve – Grooved	150mm	2286.14
SDCKIT20	Metered Bypass Kit	20mm	366.34
SDCKIT25	Metered Bypass Kit	25mm	663.98

\*Can be used with 20mm / 25mm Bypass Kit. Kits need to be ordered separately.



DCDA100-WM

## Double Detector Check Valve Assembly

Order Code	Description	Size	List Price
DCDA80	Double Check Detector Assembly	80mm	3116.40
DCDA100	Double Check Detector Assembly	100mm	3639.51
DCDA150	Double Check Detector Assembly	150mm	5843.25
DCDA200	Double Check Detector Assembly	200mm	10295.25
DCDA80-WM	Double Check Detector Assembly with Water Meter	80mm	3227.70
DCDA100-WM	Double Check Detector Assembly with Water Meter	100mm	3728.55
DCDA150-WM	Double Check Detector Assembly with Water Meter	150mm	5898.90
DCDA200-WM	Double Check Detector Assembly with Water Meter	200mm	10406.55
DCDA80FS-WM	Double Check Detector Assembly with Water Meter & G.O. Butterfly Valves	80mm	3728.55
DCDA100FS-WM	Double Check Detector Assembly with Water Meter & G.O. Butterfly Valves	100mm	4118.10
DCDA150FS-WM	Double Check Detector Assembly with Water Meter & G.O. Butterfly Valves	150mm	6455.40
DCDA200FS-WM	Double Check Detector Assembly with Water Meter & G.O. Butterfly Valves	200mm	11296.95



SR001SSBC-1

## Backflow in Stainless Steel Recessed Cabinets

Order Code	Description	Size	List Price
SR001SSBC-1	Single RPZ in Stainless Steel Box	15mm	1542.24
SR001SSBC-2	Dual RPZ in Stainless Steel Box	15mm	2177.28
SR002SSBC-1	Single RPZ in Stainless Steel Box	20mm	1572.48
SR002SSBC-2	Dual RPZ in Stainless Steel Box	20mm	2274.05
SR003SSBC-1	Single RPZ in Stainless Steel Box	25mm	1784.16
SR003SSBC-2	Dual RPZ in Stainless Steel Box	25mm	2540.16



7206

## Y Strainers

Order Code	Description	Size	List Price
7206	Y Strainer	65mm	231.27
7207	Y Strainer	80mm	266.94
7208	Y Strainer	100mm	443.73
7209	Y Strainer	150mm	1334.72
7211	Y Strainer	200mm	728.03



7240



7242GB

## Isolation Valves Butterfly Valves

Order Code	Description	Size	List Price
7240	Butterfly Valve	65mm	254.70
7241	Butterfly Valve	80mm	294.26
7242	Butterfly Valve	100mm	375.87
7243	Butterfly Valve	150mm	635.50
7245	Butterfly Valve	250mm	2363.97
7240GB	Gear Operated Butterfly Valve	65mm	304.56
7241GB	Gear Operated Butterfly Valve	80mm	323.43
7242GB	Gear Operated Butterfly Valve	100mm	441.70
7243GB	Gear Operated Butterfly Valve	150mm	636.00
7244GB	Gear Operated Butterfly Valve	200mm	916.90




## RPZD First Check Valve Assembly

Order Code	Description	Size	List Price
89878P9	RPZDE II – BF Repair Kit, First CV, RPZ II	15mm – 20mm	73.72
89848P0	RPZDE – BF Repair Kit, First CV, RPZ	25mm	77.91
89848P2	RPZDE – BF Repair Kit, First CV, RPZ	32mm	111.85
89848P3	RPZDE – BF Repair Kit, First CV, RPZ	40mm – 50mm	196.28
89848P5	RPZD – BF Repair Kit, First CV, RPZ	65mm – 80mm	574.92
89848P7	RPZD – BF Repair Kit, First CV, RPZ	100mm	1013.84
89848P9	RPZD – BF Repair Kit, First CV, RPZ	150mm	1421.84
89848P10	RPZD – BF Repair Kit, First CV, RPZ	200mm	5687.37



## RPZD Second Check Valve Assembly

Order Code	Description	Size	List Price
89879P9	RPZDE II – BF Repair Kit, Second CV, RPZE II	15mm – 20mm	75.84
89849P0	RPZDE – BF Repair Kit, Second CV, RPZ	25mm	82.88
89849P2	RPZDE – BF Repair Kit, Second CV, RPZ	32mm	106.30
89849P3	RPZDE – BF Repair Kit, Second CV, RPZ	40mm – 50mm	179.56
89849P5	RPZD – BF Repair Kit, Second CV, RPZ	65mm – 80mm	583.00
89849P7	RPZD – BF Repair Kit, Second CV, RPZ	100mm	1050.93
89849P9	RPZD – BF Repair Kit, Second CV, RPZ	150mm	1607.30
89849P10	RPZD – BF Repair Kit, Second CV, RPZ	200mm	4327.34




## RPZD Rubber Kits

Order Code	Description	Size	List Price
B93RK99	RPZDE II – BF Rubber Kit, RPZ II	15mm – 20mm	37.09
B92RK00	RPZDE – BF Rubber Kit, RPZ	25mm	105.09
B92RK02	RPZDE – BF Rubber Kit, RPZ	32mm	210.19
B92RK03	RPZDE – BF Rubber Kit, RPZ	40mm – 50mm	210.19
B92RK05	RPZD – BF Rubber Kit, RPZ	65mm – 80mm	170.46
B92RK07	RPZD – BF Rubber Kit, RPZ	100mm	197.82
B92RK09	RPZD – BF Rubber Kit, RPZ	150mm	272.01
B92RK10	RPZD – BF Rubber Kit, RPZ	200mm	556.37



## RPZD Relief Assembly Kits


Order Code	Description	Size	List Price
89880P9	RPZDE II – BF Repair Kit, RV, RPZ II	15mm – 20mm	210.19
89850P0	RPZDE – BF Repair Kit, RV, RPZ	25mm	290.55
89850P2	RPZDE – BF Repair Kit RV, RPZ	32mm	445.09
89850P3	RPZDE – BF Repair Kit, RV, RPZ	40mm – 50mm	445.09
89850P5	RPZD – BF Repair Kit, RV, RPZ	65mm – 80mm	482.19
89850P7	RPZD – BF Repair Kit, RV, RPZ	100mm	556.37
89850P9	RPZD – BF Repair Kit, RV, RPZ	150mm	587.28
89850P10	RPZD – BF Repair Kit, RV, RPZ	200mm	927.29



89855P0

## DCV First Check Valve Assembly


Order Code	Description	Size	List Price
89855P0	DCVE – BF Repair Kit, First CV, DCV	20mm – 25mm	83.62
89855P2	DCVE – BF Repair Kit, First CV, DCV	32mm	91.11
89855P3	DCVE – BF Repair Kit, First CV, DCV	40mm – 50mm	105.32
89855P5	DCVE – BF Repair Kit, First CV, DCV	65mm – 80mm	574.92
89855P7	DCV – BF Repair Kit, First CV, DCV	100mm	816.01
89855P9	DCV – BF Repair Kit, First CV, DCV	150mm	1607.30
89855P10	DCV – BF Repair Kit, First CV, DCV	200mm	4327.34



89879P9

## DCV Second Check Valve Assembly

Order Code	Description	Size	List Price
89879P9	DCVE – BF Repair Kit, Second CV, RPZE II	15mm – 20mm	75.84
89849P0	DCVE – BF Repair Kit, Second CV, RPZ	25mm	82.88
89849P2	DCVE – BF Repair Kit, Second CV, RPZ	32mm	106.30
89849P3	DCVE – BF Repair Kit, Second CV, RPZ	40mm – 50mm	179.56
89849P5	DCV – BF Repair Kit, Second CV, RPZ	65mm – 80mm	583.00
89849P7	DCV – BF Repair Kit, Second CV, RPZ	100mm	1050.93
89849P9	DCV – BF Repair Kit, Second CV, RPZ	150mm	1607.30
89849P10	DCV – BF Repair Kit, Second CV, RPZ	200mm	4327.34



B91RK00

## DCV Rubber Kits

Order Code	Description	Size	List Price
B91RK00	DCVE – BF Rubber Kit, DCVE	20mm – 25mm	27.20
B91RK02	DCVE – BF Rubber Kit, DCVE	32mm	47.91
B91RK03	DCVE – BF Rubber Kit, DCVE	40mm – 50mm	80.37
B91RK05	DCVE – BF Rubber Kit, DCVE	65mm – 80mm	105.09
B91RK07	DCV – BF Rubber Kit, DCV	100mm	197.82
B91RK09	DCV – BF Rubber Kit, DCV	150mm	309.10
B91RK10	DCV – BF Rubber Kit, DCV	200mm	581.10



7190QC



7190



7190



7190SK



7190AK



7190H.RED




7190H.BLUE



7190H.YELLOW

## RyeMetal Backflow Test Kits and Tools / Parts

Order Code	Description	List Price
7190QC	Quick Connect Kit	91.58
7190SK	Quick Connect Swivel Coupling Kit	45.79
7190AK	Quick Connect Bush Adaptor Kit	45.79
TC18	Test Cock – 1/8" MI x 1/4" FI	28.62
7190	Backflow Device Test Kit	1368.04
7190H.RED	Red Replacement Hose	58.30
7190H.BLUE	Blue Replacement Hose	58.30
7190H.YELLOW	Yellow Replacement Hose	58.30



B93SD7

## SCVT / SCDAT Rubber Kits

Order Code	Description	List Price
B93SD7	4" SDCV / SCVT Service Rubber Kit	47.70
B93SD9	6" SDCV / SCVT Service Rubber Kit	63.60
B93SD10	8" SDCV / SCVT Service Rubber Kit	95.40




89861S7

## Testable Single Check Valves – 7kPa First Check Assembly

Order Code	Description	List Price
89861S7	4" SCVT First Check Valve Assembly – 7kPa	614.80
89861S9	6" SCVT First Check Valve Assembly – 7kPa	1293.20
89861S10	8" SCVT First Check Valve Assembly – 7kPa	2279.00

## Testable Single Check Detectors – 35kPa First Check Assembly

Order Code	Description	List Price
8986SD7	4" SDCVT First Check Valve Assembly – 35kPa	636.00
8986SD9	6" SDCVT First Check Valve Assembly – 35kPa	1367.40
8986SD10	8" SDCVT First Check Valve Assembly – 35kPa	2385.00




12137

## SURESEAL Tapping Bands – AC and Compatible Pipe – Series 2

Order Code	Description	List Price
12137	58mm x 20mm	104.18
12141	80mm x 20mm	111.05
12142	80mm x 25mm	111.05
12145	80mm x 50mm	111.05
12151*	100mm x 20mm	51.52
12152*	100mm x 25mm	51.52
12153	100mm x 32mm	62.96
12154	100mm x 40mm	62.96
12155	100mm x 50mm	62.96
12171	150mm x 20mm	80.14
12172	150mm x 25mm	80.14
12173	150mm x 32mm	97.31
12174	150mm x 40mm	97.31
12175	150mm x 50mm	97.31
12181	200mm x 20mm	309.10
12182	200mm x 25mm	309.10
12185	200mm x 50mm	309.10
12191	225mm x 20mm	400.68
12192	225mm x 25mm	400.68
12195	225mm x 50mm	400.68
12201	250mm x 20mm	400.68
12202	250mm x 25mm	400.68
12205	250mm x 50mm	400.68
12221	300CD x 20mm	486.54
12222	300CD x 25mm	486.54
12225	300CD x 50mm	486.54
12231	375mm x 20mm	652.54
12232	375mm x 25mm	604.20
12235	375mm x 50mm	652.54
12245	450mm x 50mm	911.60
12255	500mm x 50mm	1166.00
12275	600mm x 50mm	1385.21

\*Standard with Stainless Steel bolts. Insulation may be required for Bi-Metallic contact.



12032

## SURESEAL Tapping Bands – White PVC Pipe – Series 1

Order Code	Description	List Price
12011	50mm x 20mm	104.18
12012	50mm x 25mm	62.96
12014	63mm x 20mm Poly	104.18
12015	63mm x 25mm Poly	128.22
12031	80mm x 20mm	167.14
12032	80mm x 25mm	57.24
12034	80mm x 40mm	167.14
12035	80mm x 50mm	167.14
12041	100mm x 20mm	57.24
12042	100mm x 25mm	57.24
12043	100mm x 32mm	167.14
12044	100mm x 40mm	167.14
12045	100mm x 50mm	167.14
12061	150mm x 20mm	85.86
12062	150mm x 25mm	85.86
12063	150mm x 32mm	85.86
12064	150mm x 40mm	85.86
12065	150mm x 50mm	85.86
12086	200mm x 20mm	309.10
12087	200mm x 25mm	309.10
12089	200mm x 40mm	309.10
12090*	200mm x 50mm	309.10
12091	225mm x 20mm	400.68
12092	225mm x 25mm	400.68
12101	250mm x 20mm	400.68
12102	250mm x 25mm	400.68
12105*	250mm x 50mm	400.68
12121	300mm x 20mm	486.54
12122	300mm x 25mm	486.54
12125*	300mm x 50mm	486.54

White PVC Pipe Series 1 – Full Circle Model.

\*Use reducing bushes to accommodate any smaller offtake.




12501

## SURESEAL Coated Tapping Bands

Order Code	Description	List Price
12501	100mm x 20mm	91.58
12502	100mm x 25mm	91.58
12506	150mm x 20mm	101.89
12507	150mm x 25mm	101.89





12341

## SURESEAL Tapping Bands – Maintenance Type

Order Code	Description	List Price
12342	80mm x 25mm	171.72
12351	100mm x 20mm	183.17
12352	100mm x 25mm	183.17
12355	100mm x 50mm	183.17
12371	150mm x 20mm	194.62
12372	150mm x 25mm	194.62
12375*	150mm x 50mm	263.30
12392	225mm x 25mm	572.40
12395*	225mm x 50mm	572.40
12397	300mm x 25mm	572.40
12400*	300mm x 50mm	601.02

\*Use reducing bushes to accommodate smaller off takes. Tapping Saddle Maintenance Type for use on AC or oversize AC pipe. Designed with 50mm wide flexible band to better accommodate pipe size and shape variations.



10010

## Tapping Kits

Order Code	Description	List Price
10010	<b>Rapid Tap Main Tapping Kit</b> Contents include: Rapid Tap case, Rapid Tap Drilling Tool complete with 20 and 25mm TPFNR Adaptors and 20 and 25mm Tipped Drills, 20 and 25mm PVC Drill Bits, Ratchet Spanner, Valve Key, Barrel Spanner and Adaptors for 20 and 25mm Ball Valves. Extras available: Universal Spanner, 20mm TPF Adaptor, 25mm TPF Adaptor, Drill Extension and Bleed Heart Valve Adaptor.	2226.64
10500	<b>Major Tapping Kit</b> Contents include: Major Tap case, Major Tap Drilling Tool, Ratchet Spanner, 32mm TPFNR Adaptor, 40mm TPFNR Adaptor; 50mm TPFNR Adaptor, 32mm Tipped Drill, 40mm Tipped Drill, 50mm Tipped Drill and Valve Key. Extras available: Drill Extension.	5798.41
10700	<b>WATGAS Boring Machine</b> Contents include Watgas Borer Case, Major Tap Drilling Tool, Ratchet Spanner, 80/100mm Flange Adaptor, Spindle Extension, Clearance Valve, 80mm Tipped Drill and 100mm Tipped Drill. Extras available: Adaption kit (10800) to allow 150mm drilling.	6347.92





10030



10040



10060



10170



10540

## Tapping Kit Accessories

Order Code	Description	Size	List Price
10020	Rapid Tap Case Only	—	162.56
10030	Rapid Tap Drilling Tool	—	1705.75
10040	Rapid Tap Ratchet Spanner	—	137.38
10060	T.P.F. Adaptor	25mm	210.64
10070	T.P.F. Adaptor	20mm	210.64
10080	Rapid Tap Plain Drill	20mm	238.50
10082	Rapid Tap Plain Drill	5/8"	254.40
10090	Rapid Tap Plain Drill	25mm	249.10
10100	Rapid Tap Tipped Drill	20mm	265.00
10102	Rapid Tap Tipped Drill	5/8"	397.50
10110	Rapid Tap Tipped Drill	25mm	302.10
10111	PVC Hole Saw (Actual DIA 23/32")	20mm	307.40
10112	PVC Hole Saw (Actual DIA 7/8")	25mm	339.20
10120	Rapid Tap TPFNR Adaptor	20mm	196.91
10125	Rapid Tap Ball Valve Adaptor	20mm	194.62
10130	Rapid Tap TPFNR Adaptor	25mm	234.68
10135	Rapid Tap Ball Valve Adaptor	—	194.62
10136	Heart Valve Adaptor	20mm	435.02
10137	Heart Valve Adaptor	25mm	435.02
10140	Rapid Tap Drill Extension (65mm long)	—	131.65
10170	Rapid Tap Valve Key	—	10.88
10175	Rapid Tap Barrel Spanner	—	257.58
10180	Recondition Rapid Tap Tool	—	984.53
10201	Plastic Insert Bush	20mm	1.60
10510	Major Tap Plain Drill	32mm	646.60
10511	Major Tap Plain Drill	40mm	837.40
10512	Major Tap Plain Drill	50mm	901.00
10513	Major Tap Plain Drill	80mm	1484.00
10514	Major Tap Plain Drill	100mm	2332.00
10520	Major Tap Tipped Drill	32mm	699.60
10521	Major Tap Tipped Drill	40mm	858.60
10522	Major Tap Tipped Drill	50mm	922.20
10525	Major Tap Twist Drill (Requires Adaptor 10526)	32mm	848.00
10526	Twist Drill Machine Adaptor	—	164.30
10527	Major Tap Twist Drill (Requires Adaptor 10526)	40mm	1007.00
10528-AU	Major Tap Twist Drill (Requires Adaptor 10526)	50mm	1060.00
10530-AU	Major Tap Adaptor	32mm	314.82
10531-AU	Major Tap Adaptor	40mm	337.72
10532-AU	Major Tap Adaptor	50mm	366.34
10533-AU	Spindle Extension	—	190.04
10540-AU	Valve Key Major Tap	—	84.80
10590	Recondition Major Tap Kit	—	1568.38

## Tapping Kit Accessories (contin.)


Order Code	Description	Size	List Price
10700	WATGAS Boring Machine	150mm	6347.92
10720	Tipped Drill	80mm	1378.00
10721	Tipped Drill	100mm	2067.00
10731	Adaptor Flange for 80 - 100mm (Major Tapping)	–	694.30
10784-1	Adaptor Drill M/Tap	3/8"	477.00
10784-2	Pilot Drills HSS	3/8"	58.30
10787	Tipped Drill	150mm	4558.00
10800	WATGAS Borer Drilling	150mm	5194.00



11301-AU

## Standard Ferrule Cocks

Order Code	Description	Size	List Price
11301-AU	Standard Ferrule Cock	20mm	49.23
11302	Standard Ferrule Cock	25mm	74.41
11303	Standard Ferrule Cock	32mm	167.14
11304	Standard Ferrule Cock	40mm	201.48
11305	Standard Ferrule Cock	50mm	228.96




11012

## Capped / Bonnet Ferrule Cocks

Order Code	Description	Size	List Price
11001	Capped Ferrule Cock	20mm	57.24
11002	Capped Ferrule Cock	25mm	92.73
11003	Capped Ferrule Cock	32mm	246.13
11004	Capped Ferrule Cock	40mm	246.13
11005	Capped Ferrule Cock	50mm	389.23
11011	Bonnet Ferrule Cock	20mm	60.67
11012	Bonnet Ferrule Cock	25mm	96.16
11013	Bonnet Ferrule Cock	32mm	274.75
11014	Bonnet Ferrule Cock	40mm	274.75
11015	Bonnet Ferrule Cock	50mm	429.30
11021	Capped Poly Ferrule Cock	20mm x 25mm	67.54
11022	Capped Poly Ferrule Cock	25mm x 32mm	100.74
11081	Bonnet Poly Ferrule Cock	20mm x 25mm	72.12
11082	Bonnet Poly Ferrule Cock	25mm x 32mm	107.61

Must be used in conjunction with Ferrule Bends.



11001

## Ferrule Bonnet Assemblies

Order Code	Description	Size	List Price
11691	Ferrule Bonnet Assembly	20mm	33.77
11692	Ferrule Bonnet Assembly	25mm	37.78
11693	Ferrule Bonnet Assembly	32mm	54.38
11694	Ferrule Bonnet Assembly	40mm	61.82
11695	Ferrule Bonnet Assembly	50mm	85.86



11691



## Ferrule Bends

Order Code	Description	Size	List Price
17002-AU	Capillary Copper Ferrule Bend	20mm	24.61
17003	Capillary Copper Ferrule Bend	25mm	30.91
11041	Flared Compression Ferrule Bends	20mm	32.63
11042	Flared Compression Ferrule Bends	25mm	38.92
11043	Flared Compression Ferrule Bends	32mm	104.18
11044	Flared Compression Ferrule Bends	40mm	141.96
11045	Flared Compression Ferrule Bends	50mm	155.69
11051	BSP Ferrule Bend	20mm MI	27.48
11052	BSP Ferrule Bend	25mm MI	33.77
11053	BSP Ferrule Bend	32mm MI	92.73
11054	BSP Ferrule Bend	40mm MI	116.77
11055	BSP Ferrule Bend	50mm MI	135.09
11062	BSP Ferrule Bend	25mm MI	72.12



WM264MSP and WM657MSPQLD

## Metered Standpipes

Order Code	Description	Size	List Price
WM264MSP	Metered Standpipes	25mm BSP Thread	572.40
WM257MSPTAP	Metered Standpipes	25mm Stand Pipe with 20mm Tap	915.54
WM326MSP	Metered Standpipes	32mm BSP Thread (high flow)	1785.89
WM654MSP	Metered Standpipes	65mm BSP Thread	1785.89
WM656MSPCFA	Metered Standpipes	65mm CFA Thread	1785.89
WM657MSPQLD	Metered Standpipes	65mm QLD Round Thread	1785.89
WM658MSPNSW	Metered Standpipes	65mm NSW Thread	1785.89



FS3027

## Non-Metered Standpipes

Order Code	Description	Size	List Price
FS3021	Non-Metered Standpipes	65mm CFA	929.22
FS3027	Non-Metered Standpipes	65mm FBT	884.95
FS3036	Non-Metered Standpipes	65mm QRT	884.95
FS3040	Non-Metered Standpipes	65mm Storz	1095.18

## Pricing

List Price is per unit. All prices exclude GST.

If you are requiring an item that you do not see listed in this booklet, please contact our customer service team on 1800 810 803.

## Terms and Conditions

No party should rely upon the contents of this publication as to the fitness of any particular product for any particular use or application. Goods are offered with the benefit of the manufacturers warranty but Reliance Worldwide Corporation (Aust.) Pty. Ltd. shall not be liable for any loss or damage either direct or consequential arising out of any defects.

Reliance Worldwide Corporation reserves the right to modify designs and specifications and to withdraw and introduce products at any time without notice.

No part of this publication may be reproduced, copied or transmitted in any form by any means graphic, electronic or mechanical (including photo-copying, recording, taping or by any information storage and retrieval system) without prior permission in writing of the publisher Reliance Worldwide Corporation (Aust.) Pty. Ltd.

## Installation

Installation is subject to the requirements of the applicable regulatory authority, the National Construction Code Volume Three – Plumbing Code of Australia, associated reference standards as applicable at the time and AS/NZS 3500. For further Scope of Use, please visit [www.rmc.com.au](http://www.rmc.com.au).

## Reliance Worldwide Corporation Warranty

Reliance Worldwide Corporation (Aust.) Pty. Ltd. (RWC) will either replace or repair any defective goods where the defect arose as a result of manufacture for up to two (2) years (see website for more details). You may contact RWC at the phone number, address or e-mail shown and will be required to return the goods for evaluation. Should the defect be found to be one of our manufacture we will send you a replacement product to your stated address at our expense. Our goods come with guarantees that cannot be excluded under Australian Consumer Law. You are entitled to a replacement or refund for a major failure and for compensation for any other reasonably foreseeable loss or damage. You are also entitled to have the goods repaired or replaced if the goods fail to be of acceptable quality and failure does not amount to a major failure.

® = Registered Trade Mark of  
Reliance Worldwide Corporation (Aust.) Pty. Ltd.  
27-28 Chapman Place, Eagle Farm QLD 4009,  
Australia | 1800 810 803 | [sales@rmc.com.au](mailto:sales@rmc.com.au)

© 2021 All rights reserved



 1800 810 803  
 1800 062 669  
 [sales@rmc.com.au](mailto:sales@rmc.com.au)  
 [rmc.com.au](http://rmc.com.au)

AN RWC BRAND  
 Reliance Worldwide Corporation (Aust.) Pty. Ltd.  
27-28 Chapman Place, Eagle Farm QLD 4009,  
Australia | ABN 71 004 784 301

The RWC logo, consisting of the letters 'RWC' in a bold, black, sans-serif font, with a yellow 'C'.