


# Safety Storage

## DURHAM MFG® Est. 1922



Safety Storage			
Flammable Safety Cabinets	3 - 5	Gas Cylinder Racks	6
Medical Cylinder Cart	6	Gas Cylinder Cabinets	7 - 8
Hand Sanitizer Station	9	Spill Control	10 - 11
Metal and Plastic First Aid	12 - 17	Commercial First Aid	18
Industrial First Aid	19 - 20	Medicine Cabinet	21

**Empty First Aid Boxes, FM Approved Flammable Storage, Medicine Cabinets  
Gas Cylinder Storage Cabinets (meets NFPA & OSHA standards)**

# SAFETY PRODUCTS

## FLAMMABLE SAFETY CABINETS



### FM Approved Flammable Safety Cabinet

- Sturdy all-welded, double wall steel construction
- Choice of manual or self closing doors
- 2" wide louvers support shelves, adjustable on 4" centers
- 2" Deep leak proof base
- Safely contains hazardous chemicals reducing the risk of fire
- Units come fully assembled and ready for use
- Electrical ground on bottom right hand side to aid in the elimination of an electrostatic discharge
- Improved security with recessed lockable paddle latch and 3 point locking system
- Bunged air vents on each side of the cabinet allows for ventilation
- Safety Yellow, powder coat finish

Model	Capacity (gl.)	Overall Dim: WxDxH (In.)	Shelves	Optional Shelf Part	Door Style	Ship Wt. (Lbs.)
*1002M-50	2	17-3/8 x 18-1/8 x 17-1/4	1	FS-SH-1413	Manual	77
*1002S-50	2	17-3/8 x 18-1/8 x 18-3/8	1	FS-SH-1413	Self Closing	82
1004M-50	4	17-3/8 x 18-1/8 x 22-1/8	1	FS-SH-1413	Manual	101
1004S-50	4	17-3/8 x 18-1/8 x 23-3/8	1	FS-SH-1413	Self Closing	110
1012MH-50	12 - Horizontal	43 x 18 x 18	1	FS-SH-1439	Manual	170
1012MA-50	24 Aerosol cans	23 x 18 x 35	2 Slide Shelves	-	Manual	168
1012M-50	12	23 x 18 x 35	1	FS-SH-1419	Manual	153
1012S-50	12	23 x 18 x 36-3/8	1	FS-SH-1419	Self Closing	165
1016M-50	16	23 x 18 x 44	1	FS-SH-1419	Manual	186
1016S-50	16	23 x 18 x 45-3/8	1	FS-SH-1419	Self Closing	196
1022M-50	22	23-5/16 x 18-1/8 x 65	2	FS-SH-1419	Manual	290
1022S-50	22	23-5/16 x 18-1/8 x 66-3/8	2	FS-SH-1419	Self Closing	305
1022UCM-50	22	35 x 22 x 35	1	FS-SH-1731	Manual	237
1022UCS-50	22	35 x 22 x 35	1	FS-SH-1731	Self Closing	241
1024M-50	24	23 x 18 x 65	3	FS-SH-1419	Manual	280
1024S-50	24	23 x 18 x 65	3	FS-SH-1419	Self Closing	281
1030M-50	30	43 x 18 x 44	1	FS-SH-1439	Manual	277
1030S-50	30	43 x 18 x 45-3/8	1	FS-SH-1439	Self Closing	297
1030MPI-50	30 - Paint & Ink	43 x 12 x 65	5	FS-SH-0839	Manual	372
1030SPI-50	30 - Paint & Ink	43 x 12 x 65	5	FS-SH-0839	Self Closing	385
1045M-50	45	43 x 18 x 65	2	FS-SH-1439	Manual	390
1045S-50	45	43 x 18 x 66-3/8	2	FS-SH-1439	Self Closing	409
1055MDSR-50	55 - Drum	34 x 34 x 65	1	FS-SH-2930	Manual	505
1055SDSR-50	55 - Drum	34 x 34 x 66-3/8	1	FS-SH-2930	Self Closing	531
1060M-50	60	34 x 34 x 65	2	FS-SH-2930	Manual	483
1060S-50	60	34 x 34 x 66-3/8	2	FS-SH-2930	Self Closing	509
1060MPI-50	60 - Paint & Ink	43 x 18 x 65	5	FS-SH-0839	Manual	423
1060SPI-50	60 - Paint & Ink	43 x 18 x 66-3/8	5	FS-SH-0839	Self Closing	444
1090M-50	90	43 x 34 x 65	2	FS-SH-2939	Manual	552
1090S-50	90	43 x 34 x 66-3/8	2	FS-SH-2939	Self Closing	584
1120M-50	120	59-1/16 x 34 x 65	2	-	Manual	688

FOB TX

\*FM Approval not required

# SAFETY PRODUCTS

## FLAMMABLE SAFETY CABINETS



### FM Approved Flammable Safety Cabinet with Legs

- Sturdy all-welded, double wall steel construction
- Choice of manual or self closing doors
- 2" wide louvers support shelves, adjustable on 4" centers
- 2" Deep leak proof base
- Safely contains hazardous chemicals reducing the risk of fire
- Electrical ground on bottom right hand side to aid in the elimination of an electrostatic discharge
- Units come fully assembled and ready for use
- Improved security with recessed lockable paddle latch and 3 point locking system
- 6" Box style legs allows for lagging to the floor, moving with forklift, and cleaning under the cabinet
- Bunged air vents on each side of the cabinet allows for ventilation
- Safety yellow powder coat finish

Model	Gallon capacity	Dimensions: - WxDxH (In.)	Shelves	Optional Shelf Part #	Door Style	Ship Wt.
1012ML-50	12	23 x 18 x 41	1	FS-SH-1419	Manual	165
1012SL-50	12	23 x 18 x 42-3/8	1	FS-SH-1419	Self Closing	175
1016ML-50	16	23 x 18 x 50	1	FS-SH-1419	Manual	196
1016SL-50	16	23 x 18 x 51-3/8	1	FS-SH-1419	Self Closing	206
1030ML-50	30	43 x 18 x 50	1	FS-SH-1439	Manual	287
1030SL-50	30	43 x 18 x 51-3/8	1	FS-SH-1439	Self Closing	307
1045ML-50	45	43 x 18 x 71	2	FS-SH-1439	Manual	400
1045SL-50	45	43 x 18 x 72-3/8	2	FS-SH-1439	Self Closing	420
1060ML-50	60	34 x 34 x 71	2	FS-SH-2930	Manual	500
1060SL-50	60	34 x 34 x 72-3/8	2	FS-SH-2930	Self Closing	526
1090ML-50	90	43 x 34 x 71	2	FS-SH-2939	Manual	569
1090SL-50	90	43 x 34 x 72-3/8	2	FS-SH-2939	Self Closing	601
1120ML-50	120	59-1/16 x 34 x 71	2	-	Manual	705

FOB TX

# SAFETY PRODUCTS

## FLAMMABLE SAFETY CABINETS



### FM Approved Flammable Safety Cabinet

- Sturdy all-welded, double wall steel construction
- Choice of manual or self closing doors
- 2” wide louvers support shelves, adjustable on 4” centers
- 2” Deep leak proof base
- Safely contains hazardous chemicals reducing the risk of fire
- Units come fully assembled and ready for use
- Electrical ground on bottom right hand side to aid in the elimination of an electrostatic discharge
- Improved security with recessed lockable paddle latch and 3 point locking system
- Bunged air vents on each side of the cabinet allows for ventilation
- Red, powder coat finish

Model	Capacity (gl.)	Overall Dim: WxDxH (In.)	Shelves	Optional Shelf Part	Door Style	Ship Wt. (Lbs.)
1030M-17	30	43 x 18 x 44	1	FS-SH-1439	Manual	273
1030S-17	30	43 x 18 x 45-3/8	1	FS-SH-1439	Self Closing	293
1045M-17	45	43 x 18 x 65	2	FS-SH-1439	Manual	385
1060M-17	60	34 x 34 x 65	2	FS-SH-2930	Manual	477
1060S-17	60	34 x 34 x 66-3/8	2	FS-SH-2930	Self Closing	503

FOB TX

# SAFETY PRODUCTS

## CYLINDER STORAGE RACKS AND CARTS



**GCRV-161230-08T**



**GCRV-162430-08T**



**GCRV-163630-08T**



**GCRV-302430-08T**



**GCRV-303630-08T**



**GCRV-304830-08T**

\*Cylinders are not included\*

### Gas Cylinder Racks

- 3 gauge, steel tube material
- Secures to the floor with included concrete anchors
- Includes chains to secure and align the gas cylinders
- Organize types in their own rows
- Built to meet and exceed quality and safety standards of OSHA, OSHPD, UFC, NFPA and CGA
- Ships fully assembled, ready for immediate use
- Black, textured, powder coat finish, good for outdoor or indoor use. Resistant to chemicals and rust

Model	Overall Dim: WxDxH (In.)	Cylinder Capacity	Concrete Anchors	Ship Wt. (Lbs.)
GCRV-161230-08T	16 x 12 x 30	1	2	109
GCRV-162430-08T	16 x 24 x 30	2	2	145
GCRV-163630-08T	16 x 36 x 30	3	4	183
GCRV-301230-08T	30 x 12 x 30	2	3	157
GCRV-302430-08T	30 x 24 x 30	4	3	213
GCRV-303630-08T	30 x 36 x 30	6	6	282
GCRV-304830-08T	30 x 48 x 30	8	6	338
GCRV-441230-08T	44 x 12 x 30	3	4	204

FOB TX

### Medical Cylinder Cart

- Accommodates cylinders: M7, M9, C, D, & E (Not included)
- 14 gauge, all-welded, steel construction
- Raise, offset, tubular push handle
- 1,400 Lbs. of weight capacity
- Ships fully assembled and ready for use
- Green, textured, powder coat finished



**Model  
MCC-2436-6PU-83T**

Model	Overall Dim: WxDxH (In.)	Shelves	Castors	Ship Wt. (Lbs.)
MCC-2436-5PO-83T	24-1/4 x 39 x 36-1/8	(2) 24 x 36	5" x 2" Polyolefin, 2 rigid, 2 swivel with side brakes	87
MCC-2436-6PU-83T	24-1/4 x 39 x 37-1/2	(2) 24 x 36	6" x 2" Polyurethane, 2 rigid, 2 swivel	99

FOB TX



# SAFETY PRODUCTS

## HORIZONTAL GAS CYLINDER STORAGE CABINETS



**Model  
EGCC6-SC-50**  
Holds 4 gas cylinders



**Model  
EGCC8-50**  
Holds 8 gas cylinders



**Model  
EGCC12-50**  
Holds 12 gas cylinders



**Model  
EGCC16-50**  
Holds 16 gas cylinders

### Horizontal Cylinder Storage Cabinets - Manual or Self Closing

- 1-1/2" x 1/8" angle iron frame
- Solid 14-gauge steel top and bottom
- Expanded metal sides, back and door, for ventilation and visibility of contents
- Cylinder cradles securely hold propane tanks in place
- DANGER FLAMMABLE MATERIALS signs on doors
- Pre-punched lagging holes in feet
- Heavy duty butt hinges prevent door sagging
- Door has pad-lock hasp to secure contents (pad-lock not furnished)
- Manual close units include a magnet to keep door shut when not locked
- In full compliance with OSHA and NFPA standards when used properly
- Ships fully assembled
- Durable safety yellow powder coat finish

Model	Overall Dim: WxDxH (In.)	Cylinder Type	Ship Wt. (Lbs.)
EGCC4-50	29-3/4 x 30-1/8 x 34-7/8	20 lb. and 33-1/2 lb. LPG cylinders	130
EGCC8-50	30 x 30-3/16 x 71-7/8	20 lb. and 33-1/2 lb. LPG cylinders	196
EGCC12-50	50-1/4 x 41-15/16 x 71-7/8	20 lb. and 33-1/2 lb. LPG cylinders	368
EGCC16-50	60 x 30-3/16 x 71-7/8	20 lb. and 33-1/2 lb. LPG cylinders	370
<b>Units with Self Closing Stainless Steel Hinges • No Magnet Included</b>			
EGCC6-SC-50	31-7/8 x 30-7/16 x 54-3/4	20 lb. and 33-1/2 lb. LPG cylinders	172
EGCC12-SC-50	51-3/4 x 42-3/16 x 71-7/8	20 lb. and 33-1/2 lb. LPG cylinders	368
EGCC16-SC-50	61-1/2 x 30-7/16 x 71-7/8	20 lb. and 33-1/2 lb. LPG cylinders	360

FOB TX



**Model  
EGCC8-9-50**  
Holds 9 vertical & 8 horizontal  
gas cylinders

### Combination Horizontal/Vertical Cylinder Storage Cabinet

- 1-1/2" x 1/8" angle iron frame
- Solid 14-gauge steel top and bottom
- Expanded metal sides, back and door, for ventilation and visibility of contents
- Accepts all standard vertical cylinders up to 59-3/4" tall plus 20 Lb. and 33-1/2 lb. cylinders in the horizontal compartment
- Vertical compartment includes a chain, adjustable in 1" increments, to hold cylinders in place
- Pre-punched lagging holes in feet
- DANGER FLAMMABLE MATERIALS signs on doors
- Heavy duty butt hinges prevent door sagging
- Doors have pad-lock hasp to secure contents (pad-lock not furnished)
- Magnet keeps door safely shut when not locked
- In full compliance with OSHA and NFPA standards when used properly
- Ships fully assembled
- Durable safety yellow powder coat finish

Model	Overall Dim: WxDxH (In.)	Cylinder Capacity	Ship Wt. (Lbs.)
EGCC8-9-50	60 x 30-1/8 x 71-7/8	9 vertical & 8 horizontal	326

FOB TX

# SAFETY PRODUCTS

## VERTICAL GAS CYLINDER STORAGE CABINETS




**Model  
EGCVC2-50**  
Holds 2 gas cylinders



**Model  
EGCVC4-50**  
Holds 4 gas cylinders



**Model  
EGCVC9-50**  
Holds 9 gas cylinders



**Model  
EGCVC18-SC-50**  
Holds 18 gas cylinders

### Vertical Cylinder Storage Cabinets - Manual or Self Closing

- 1-1/2" x 1/8" angle iron frame
- Solid 14-gauge steel top and bottom
- Expanded metal sides, back and door, for ventilation and visibility of contents
- Cylinder cradles securely hold propane tanks in place
- DANGER FLAMMABLE MATERIALS signs on doors
- Pre-punched lagging holes in feet
- Heavy duty butt hinges prevent door sagging
- Door has pad-lock hasp to secure contents (pad-lock not furnished)
- Manual close units include a magnet to keep door shut when not locked
- In full compliance with OSHA and NFPA standards when used properly
- Ships fully assembled
- Durable safety yellow powder coat finish

Model	Overall Dim: WxDxH (In.)	Cylinder Type	Ship Wt. (Lbs.)
EGCVC2-50	30-1/4 x 19-7/8 x 35	50 lb. cylinders	91
EGCVC4-50	29-3/4 x 30-1/8 x 34-7/8	50 lb. cylinders	104
EGCVC9-50	30-7/16 x 30-3/16 x 71-3/4	standard up to 59-3/4" tall	144
EGCVC12-50	49 x 30-3/16 x 71-7/8	standard up to 59-3/4" tall	248
EGCVC18-50	60 x 30-3/16 x 71-7/8	standard up to 59-3/4" tall	270
EGCVC20-50	73 x 30-3/16 x 71-7/8	standard up to 59-3/4" tall	298
<b>Units with Self Closing Stainless Steel Hinges • No Magnet Included</b>			
EGCVC4-SC-50	31-7/8 x 30-7/16 x 35	50 lb. cylinders	104
EGCVC12-SC-50	49-1/2 x 30-7/16 x 71-7/8	standard up to 59-3/4" tall	248
EGCVC18-SC-50	61-1/2 x 30-7/16 x 71-7/8	standard up to 59-3/4" tall	259

FOB TX

Durham Manufacturing's gas cylinder storage cabinets are designed and constructed in full compliance with OSHA and NFPA standards for the storage of gas cylinders only. All compressed gases must be used in accordance with OSHA regulations and the Compressed Gas Association's (CGA) Pamphlets which have been adopted by OSHA regulations by reference.

For proper storage, handling and maintenance of compressed gas cylinders, please consult Compressed Gas Association Pamphlet P-1 and U.S. Department of Labor, OSHA General Industry standard 29 CFR 1910.101 which adopts by reference the Compressed Gas Association's (CGA) Pamphlets C-6-1986, C-8-1962, and P-1-1965. The Compressed Gas Association has updated the three pamphlets cited by OSHA as C-6-1993, C-8-1997, and P-1-1999.


Compressed gases should only be handled by experienced and properly trained people. [CGA 3.4.1] Durham Manufacturing's gas cylinder storage cabinets are for the storage of gas cylinders only.

# HAND SANITIZER

## HANDS-FREE

### HANDS-FREE, HAND SANITIZER DISPENSER

Holds universal size containers 1 liter (10" high) to 4 liters (18" high)



- Hands-free using foot pedal (pedal is stainless steel)
- 16 gauge, industrial duty steel
- Lockable enclosure to prevent inventory loss on a valuable, high demand safety product (2 keys included)
- Punched slots on side enables sanitizer usage visibility
- Adjustable height interior shelf to accommodate different sizes of sanitizer
- Shelf adjusts on 3/4" centers
- The stand or base can be anchored to a wall or floor by pre-punched holes (anchors not included)
- Ships fully assembled and ready for use
- Can ship up to 8 per pallet to save on shipping
- UPS-able when ordered individually
- Durable, gray, powder coat finish

Model	Overall Dim: WxDxH (In.)	Capacity	Ship Wt. (Lbs.)
1400-05	12 x 16 x 41-11/16	1 liter (10" high) to 4 liters (18" high) containers	41

FOB TX



Ships UPS

#### Perfect for any location

Offices  
Gyms  
Grocery Stores

Hospitals  
Manufacturing Facilities  
Auto Shops

Public Spaces  
Warehouses  
Schools

Retail Locations  
Company Entrances  
Near rest rooms



# SPILL RESPONSE/PPE CABINETS

## WALL MOUNTABLE AND FREESTANDING

### Spill Control/PPE/Respirator Cabinet (Empty)

- Constructed using prime cold-rolled steel
- Door is welded and riveted in place using a full piano hinge with a rust resistant hinge pin
- Spring loaded latches keep door closed and allow easy access in an emergency
- (2) fully adjustable shelves are included
- Full length Plexiglas window allows easy content inventory
- Keyhole slots in back provide for wall hanging
- Sold without contents
- Durable powder coat finish

Model	Description	Overall Dim: WxDxH (In.)	Ship Wt. (Lbs.)
052-50	Yellow Cabinet	13-3/4 x 12-3/4 x 30	24
057-50	Yellow Cabinet	19-7/8 x 14-1/4 x 32-3/4	35

FOB CT  Ships UPS



**Model  
052-50**

### Wall Mountable Spill Control Cabinet (Empty)

- Constructed using prime cold-rolled steel
- Door is welded in place using a full piano hinge with a rust resistant hinge pin
- (2) fully adjustable shelves are included
- Positive catches keep door securely closed
- Convenient sturdy carrying handle
- Keyhole slots in back provide for wall hanging
- Door pouch is sold as an option
- Sold without contents
- Safety yellow powder coat finish

Model	Description	Overall Dim: WxDxH (In.)	Ship Wt. (Lbs.)
534AV-50	Yellow Cabinet	14-15/16 x 5-5/8 x 16-7/16	11

FOB TX  Ships UPS



**Model  
534AV-50**

### Spill Control Cabinet

- 16 gauge, Industrial duty, all-welded, steel construction
- (2) Front covers are to retain supplies
- Punched diamond pattern allows content visibility
- (2) bars are included and can accommodate up to 21" diameter rolled absorbent material
- Cabinets ship fully assembled
- Durable, gray, textured powder coat finish

Model	Overall Dim: WxDxH (In.)	Shelf capacity (Lbs.)	Ship Wt. (Lbs.)
VSCSP-242472-2-95	24-1/8 x 24-3/16 x 72	(3) 300 Lbs.	189 Lbs

FOB TX



**Model  
VSCSP-242472-2-95**

# SPILL RESPONSE/PPE CABINETS

## CABINET & CART



**Model**  
**3501-HDL-50**

**Spill Control/PPE Cabinet with Wardrobe/Broom Storage,  
1 Fixed and 4 Adj Shelves** (Empty)

- Heavy duty all-welded 14 gauge construction
- Doors open at 180°
- 3-point locking system with keyed handle and 5/16" dia. lock rods
- Fully welded piano hinges for increased strength and rigidity of doors
- Hanger bar for uniforms, jackets, etc...
- Cabinet ships fully assembled
- 6H" box style legs
- fixed shelves have 300 Lbs. capacity per shelf
- Ample space for broom storage
- Durable safety yellow powder coat finish

Model	Overall Dim: WxDxH (In.)	Shelves	Shelf Cap. (Lbs.)	Ship Wt. (Lbs.)
3501-HDL-50	36 x 24 x 78	5 (4 adj., 1 fixed)	300 (4), 1,000 (1)	358

FOB TX



**Model**  
**2210-50**

**Spill Response/PPE Cart** (Empty - 1,200 Lbs. capacity)

- 16 gauge all-welded steel
- Convenient sturdy work surface
- Top surface 36" x 18" has back stop
- Tubular handle for ease of mobility
- 5" x 1-1/4" polyurethane casters (2) swivel with side brakes and (2) rigid
- 1 fixed shelf
- Storage area has a single point locking handle with 2 keys
- Ships fully assembled
- Durable safety yellow powder coat finish

Model	Overall Dim: WxDxH (In.)	Shelf Dims (WxD)	Ship Wt.(Lbs.)
2210-50	42-1/8 x 18-1/4 x 36-3/8	36 x 16-1/8	151

FOB TX

\*Handle adds 6" to the width

Labels included with: 052-50, 057-50, 3501-HDL-50 and 2210-50  
(Not sold separately)

**Personal  
Protective  
Equipment**

**SPILL  
RESPONSE  
CENTER**

# FIRST AID KIT BOXES

## POLYPROPYLENE PLASTIC

### Snake Bite Kit Box (Empty)

- Durable one piece polypropylene plastic construction
- Lightweight, sturdy and compact
- Weather resistant; will not rust or corrode
- Cover has a living hinge and a positive snap catch
- Sold without contents
- Color: white

Model	Overall Dim: WxDxH (In.)	Carton QTY.	MOQ	Ship Wt. (Lbs.)
542-43	4-1/8 x 2-3/4 x 1-1/16	100	5000	566

FOB TX



**Model  
542-43**

### Super Pocket Kit Box (Empty)

- Durable one piece polypropylene plastic construction
- Lightweight, sturdy and compact
- Ideal size for promotional first aid packaging
- Weather resistant; will not rust or corrode
- Cover has a living hinge and a positive snap catch
- Sold without contents
- Color: white

Model	Overall Dim: WxDxH (In.)	Carton QTY.	MOQ	Ship Wt. (Lbs.)
498-43	4-5/8 x 3-1/4 x 1-7/16	115	5060	963

FOB TX



**Model  
498-43**

### Multi Purpose Kit Box (Empty)

- Durable one piece polypropylene plastic construction
- Lightweight, sturdy and compact
- Weather resistant; will not rust or corrode
- Cover has a living hinge and a positive snap catch
- Sold without contents
- Color: white

Model	Overall Dim: WxDxH (In.)	Carton QTY.	MOQ	Ship Wt. (Lbs.)
497-43	6-5/8 x 5-1/2 x 2	60	5040	1640

FOB TX



**Model  
497-43**

**For additional information visit our website:**  
**[www.durhammfg.com](http://www.durhammfg.com)**  
**or**  
**Contact us at: [info@durhammfg.com](mailto:info@durhammfg.com)**

# FIRST AID KIT BOXES

## POLYPROPYLENE PLASTIC UNIT KITS



**Model  
525G-43**

### 10P Polypropylene First Aid Kit Box (Empty)

- Durable one piece polypropylene plastic construction
- Gasket included
- Holds 10 standard prepackaged first aid units
- Lightweight, sturdy and compact
- Weather resistant; will not rust or corrode
- Cover has a living hinge and two positive snap catches
- Seal pin holes in body and cover
- Easy to grip combination handle/hanger is attached
- Sold without contents
- Color: white

Model	Description	Overall Dim: (In.)	Capacity (units)	Carton QTY./MOQ	Ship Wt. (Lbs.)
525G-43	With gasket	8-7/16 x 2-3/8 x 4-3/4	10	50	32

FOB TX



Ships UPS



**Model  
511G-43**

### 16P Polypropylene First Aid Kit Box (Empty)

- Durable one piece polypropylene plastic construction
- Available with or without gasket
- Holds 16 standard prepackaged first aid units
- Lightweight, sturdy and compact
- Weather resistant; will not rust or corrode
- Cover has a living hinge and two positive snap catches
- Seal pin holes in body and cover
- Easy to grip combination handle/hanger is attached
- Sold without contents
- Color: white

Model	Description	Overall Dim: (In.)	Capacity (units)	Carton QTY.	MOQ	Ship Wt. (Lbs.)
511G-43	With gasket	10 x 7 x 3	16	36	1152	812

FOB TX

## VALUE ADDED SERVICES FROM DURHAM

To make doing business easier and more efficient

- **EDI (Electric Data Interchange) ordering and invoicing**
- **Automated Order Receipt and Shipment Acknowledgement**
- **Special Product Customization Involving Colors, Company Names and Logos. (Minimums apply)**
- **Online portal gives you 24 hour access to pricing, order entry, order status, invoicing and most tracking**
- **Email Orders: [orders@durhammfg.com](mailto:orders@durhammfg.com)**
- **Other Information: [info@durhammfg.com](mailto:info@durhammfg.com)**

**Easily Accessible Online Marketing Material including Catalogs and PDF Sell Sheets Available at: [www.durhammfg.com/catalogs](http://www.durhammfg.com/catalogs)**

# FIRST AID KIT BOXES

## POLYPROPYLENE UNIT KITS

### 24P Polypropylene First Aid Kit Box (Empty)

- Durable one piece polypropylene plastic construction
- Available with or without gasket
- Available with or without partition
- Partition is removable in place when included
- Holds 24 standard prepackaged first aid units
- Lightweight, sturdy and compact
- Weather resistant; will not rust or corrode
- Cover has a living hinge and two positive snap catches
- Easy to grip combination handle/hanger is attached
- Seal pin holes in body and cover
- Sold without contents
- Color: white



**Model  
512G-43**

Model	Description	Overall Dim: (In.)	Carton QTY./MOQ	MOQ	Ship Wt. (Lbs.)
512G-43	With gasket	9-1/16 x 2-3/8 x 9-1/16	24	768	720
512G-43-N/P	With gasket, without partition	9-1/16 x 2-3/8 x 9-1/16	24	768	690

FOB TX

# FIRST AID KIT BOXES

## HIGH IMPACT POLYSTYRENE (HIPS) PLASTIC UNIT KITS

### 10 Unit HIPS First Aid Kit Box (Empty)

- Durable High Impact Polystyrene plastic construction
- Holds 10 standard prepackaged first aid units
- Cover gasket is included
- Cover has 2 positive nylon catches
- Lightweight, sturdy and compact
- Hinges have brass hinge pins
- Weather resistant; will not rust or corrode
- Easy to grip polypropylene combination handle/hanger is attached
- Seal pin holes in body and cover
- Sold without contents
- Color: white



**Model  
B276-43-HIPS**

Model	Overall Dim: WxDxH (In.)	Capacity (units)	Carton QTY./MOQ	Ship Wt. (Lbs.)
B276-43-HIPS	8-5/16 x 3-3/16 x 5-3/8	10	12	19

FOB CT



Ships UPS

### 16 Unit HIPS First Aid Kit Box (Empty)

- Durable High Impact Polystyrene plastic construction
- Holds 16 standard prepackaged first aid units
- Cover gasket is included
- Cover has 2 positive nylon catches
- Lightweight, sturdy and compact
- Hinges have brass hinge pins
- Weather resistant; will not rust or corrode
- Easy to grip polypropylene combination handle/hanger is attached
- Seal pin holes in body and cover
- Sold without contents
- Color: white



**Model  
B376-43-HIPS**

Model	Overall Dim: WxDxH (In.)	Capacity (units)	Carton QTY./MOQ	Ship Wt.
B376-43-HIPS	9-15/16 x 2-7/8 x 7	16	18	22

FOB CT



Ships UPS



# FIRST AID KIT BOXES

## HIGH IMPACT POLYSTYRENE (HIPS) PLASTIC UNIT KITS



**Model  
B476-43-HIPS**

### 24 Unit HIPS First Aid Kit Box (Empty)

- Durable High Impact Polystyrene plastic construction
- Holds 24 standard prepackaged first aid units
- Cover gasket is included
- Cover has 2 positive nylon catches
- Includes one removable partition
- Lightweight, sturdy and compact
- Hinges have brass hinge pins
- Weather resistant; will not rust or corrode
- Easy to grip polypropylene combination handle/hanger is attached
- Seal pin holes in body and cover
- Sold without contents
- Color: white

Model	Overall Dim: WxDxH (In.)	Capacity (units)	Carton QTY./MOQ	Ship Wt. (Lbs.)
B476-43-HIPS	9-15/16 x 2-7/8 x 9-15/16	24	12	17

FOB CT



Ships UPS



**Model  
B576-43-HIPS**

### 36 Unit HIPS First Aid Kit Box (Empty)

- Durable High Impact Polystyrene plastic construction
- Holds 36 standard prepackaged first aid units
- Cover gasket is included
- Cover has 2 positive nylon catches
- Includes one removable partition
- Lightweight, sturdy and compact
- Hinges have brass hinge pins
- Weather resistant; will not rust or corrode
- Easy to grip polypropylene combination handle/hanger is attached
- Seal pin holes in body and cover
- Sold without contents
- Color: white

Model	Overall Dim: WxDxH (In.)	Capacity (units)	Carton QTY./MOQ	Ship Wt. (Lbs.)
B576-43-HIPS	14-5/16 x 3-1/16 x 9-15/16	36	10	17

FOB CT



Ships UPS

## VALUE ADDED SERVICES FROM DURHAM

To make doing business easier and more efficient

- **EDI (Electric Data Interchange) ordering and invoicing**
- **Automated Order Receipt and Shipment Acknowledgement**
- **Special Product Customization Involving Colors, Company Names and Logos. (Minimums apply)**
- **Online portal gives you 24 hour access to pricing, order entry, order status, invoicing and most tracking**
- **Email Orders: [orders@durhammfg.com](mailto:orders@durhammfg.com)**
- **Other Information: [info@durhammfg.com](mailto:info@durhammfg.com)**

**Easily Accessible Online Marketing Material including Catalogs and PDF Sell Sheets Available at: [www.durhammfg.com/catalogs](http://www.durhammfg.com/catalogs)**

# FIRST AID KIT BOXES

## EMPTY METAL FIRST AID KITS

### 6 Unit Metal First Aid Kit Box (Empty)

- Durable drawn metal cover and body
- Cover is welded to body using a full piano hinge with a rust resistant hinge pin
- Holds 6 standard prepackaged first aid units
- Meets rigid government specifications
- Cover opens 90 degrees for use as a shelf
- One piece cover gasket is included and keeps moisture out
- Positive pull-down catch
- Convenient carrying handle
- Wall mounting hangers with keyhole slots
- Sold without contents
- Finished with a durable white powder coat finish



**Model  
501-43**

Model	Overall Dim: WxDxH (In.)	Capacity (units)	Carton QTY./MOQ	Ship Wt. (Lbs.)
501-43	4-9/16 x 2-3/4 x 4-7/8	6	36	37

FOB TX  Ships UPS

### 10 Unit Metal First Aid Kit Box (Empty)

- Durable drawn metal cover and body
- Cover is welded to body using a full piano hinge with a rust resistant hinge pin
- Holds 10 standard prepackaged first aid units
- Meets rigid government specifications
- Cover opens 90 degrees for use as a shelf
- One piece cover gasket is included and keeps moisture out
- (2) positive pull-down catches
- Convenient carrying handle
- Wall mounting hanger with keyhole slots
- Interior is open; no partition
- Sold without contents
- Finished with a durable white powder coat finish




**Model  
502-43**

Model	Overall Dim: WxDxH (In.)	Capacity (units)	Carton QTY./MOQ	Ship Wt. (Lbs.)
502-43	7-9/16 x 2-11/16 x 5	10	24	42

FOB TX  Ships UPS

### 16 Unit Vertical Metal First Aid Kit Box (Empty)

- Durable drawn metal cover and body
- Cover is welded to body using a full piano hinge with a rust resistant hinge pin
- Holds 16 standard prepackaged first aid units
- Meets rigid government specifications
- Cover opens 90 degrees for use as a shelf
- One piece cover gasket is included and keeps moisture out
- (2) positive pull-down catches
- Convenient carrying handle
- Wall mounting hanger with keyhole slots
- Center partition is welded in place
- Sold without contents
- Finished with a durable white powder coat finish



**Model  
505-43**

Model	Overall Dim: WxDxH (In.)	Shelf Height (In.)	Capacity (units)	Carton QTY./MOQ	Ship Wt. (Lbs.)
505-43	6-3/8 x 2-11/16 x 9-1/2	(A) 4-1/2 (B) 4-1/2	16	12	31

FOB TX  Ships UPS

# FIRST AID KIT BOXES

## METAL FIRST AID UNIT KITS




**Model**  
**506-43-N/P**

### 16 Unit Horizontal Metal First Aid Kit Box (Empty)

- Durable drawn metal cover and body
- Cover is welded to body using a full piano hinge with a rust resistant hinge pin
- Holds 16 standard prepackaged first aid units
- Meets rigid government specifications
- Cover opens 90 degrees for use as a shelf
- One piece cover gasket is included and keeps moisture out
- (2) positive pull-down catches
- Convenient carrying handle
- Wall mounting hanger with keyhole slots
- Interior is open; no partition
- Sold without contents
- Finished with a durable white powder coat finish

Model	Overall Dim: WxDxH (In.)	Carton QTY./MOQ	Ship Wt. (Lbs.)
506-43-N/P	9-1/8 x 2-3/4 x 6-3/4	12	31

FOB TX  Ships UPS




**Model**  
**508-43**

### 24 Unit Horizontal Metal First Aid Kit Box (Empty)

- Durable drawn metal cover and body
- Cover is welded to body using a full piano hinge with a rust resistant hinge pin
- Holds 24 standard prepackaged first aid units
- Meets rigid government specifications
- Cover opens 90 degrees for use as a shelf
- One piece cover gasket is included and keeps moisture out
- (2) positive pull-down catches
- Convenient carrying handle
- Wall mounting hanger with keyhole slots
- Center partition is welded in place
- Sold without contents
- Finished with a durable white powder coat finish

Model	Overall Dim: WxDxH (In.)	Shelf Height	Carton QTY./MOQ	Ship Wt. (Lbs.)
508-43	9-1/8 x 2-11/16 x 9-1/2	(A) 4-1/2 (B) 4-1/2	12	41

FOB TX  Ships UPS



**Model**  
**510-43-B**

### 36 Unit Horizontal Metal First Aid Kit Box with Center Partition (Empty)

- Durable drawn metal cover and body
- Cover is welded to body using a full piano hinge with a rust resistant hinge pin
- Holds 36 standard prepackaged first aid units
- Meets rigid government specifications
- Cover opens 90 degrees for use as a shelf
- One piece cover gasket is included and keeps moisture out
- Positive pull-down catch
- Convenient carrying handle
- Wall mounting hangers with keyhole slots
- Sold without contents
- Finished with a durable white powder coat finish

Model	Overall Dim: WxDxH (In.)	Shelf Height (In.)	Carton QTY./MOQ	Ship Wt. (Lbs.)
510-43-B	13-11/16 x 9-1/2 x 2-3/4	(A) 4-1/2 (B) 4-1/2	6	27

FOB TX  Ships UPS

# FIRST AID BOXES

## COMMERCIAL

### 50 Kit Commercial First Aid Box (Empty)

- Constructed using prime cold-rolled steel
- Cover is welded to body using a full piano hinge with a rust resistant hinge pin
- Cover opens 90 degrees for use as a shelf
- Positive pull-down catch
- Convenient carrying handle
- Wall mounting hangers with keyhole slots
- Interior is open; no partition
- Sold without contents
- Durable white powder coat finish




**Model  
520-43**

Model	Overall Dim: WxDxH (In.)	Carton	MOQ	Ship Wt. (Lbs.)
520-43	10-1/2 x 2-13/16 x 5	24	576	936

FOB TX

### 60 Kit Commercial First Aid Box (Empty)

- Constructed using prime cold-rolled steel
- Cover is welded to body using a full piano hinge with a rust resistant hinge pin
- Cover opens 90 degrees for use as a shelf
- Positive pull-down catch
- Convenient carrying handle
- Wall mounting hangers with keyhole slots
- Offset shelf is welded in place; 4-1/4" from hinge
- Sold without contents
- Finished with a durable white powder coat finish




**Model  
521-43-A**

Model	Overall Dim: WxDxH (In.)	Shelf Height	Carton	MOQ	Ship Wt. (Lbs.)
521-43-A	10-1/2 x 2-13/16 x 7-3/16	(A) 2-3/4 (B) 4-1/4	12	432	964

FOB TX

### 70 Kit Commercial First Aid Box (Empty)

- Constructed using prime cold-rolled steel
- Cover is welded to body using a full piano hinge with a rust resistant hinge pin
- Cover opens 90 degrees for use as a shelf
- Positive pull-down catch
- Convenient carrying handle
- Wall mounting hangers with keyhole slots
- Shelf is welded in place; 5-1/8" from hinge
- Sold without contents
- Durable white powder coat finish




**Model  
522-43**

Model	Overall Dim: WxDxH (In.)	Shelf Height	Carton	MOQ	Ship Wt. (Lbs.)
522-43	10-9/16 x 2-3/4 x 10-9/16	(A) 5-1/4 (B) 5-1/4	6	324	1095

FOB TX

# FIRST AID CABINETS

## INDUSTRIAL WITH FIXED SHELVES



**Model  
532-43**


(Shown with optional pouch installed)

### 7FX (2 Shelf) Industrial First Aid Cabinet with Swing Out Door (Empty)

- Constructed using prime cold-rolled steel
- Door is welded in place using a full piano hinge with a rust resistant hinge pin
- (2) fixed shelves (including cabinet base)
- Convenient sturdy carrying handle
- Positive catch keeps door securely closed
- Keyhole slots in back provide for wall hanging
- Door pouch is available as an option
- Sold without contents
- Durable white powder coat finish

Model	Description	Overall Dim: WxDxH	Shelf Height (In.)	Cartons	MOQ	Ship Wt. (Lbs.)
532-43	First Aid Cabinet	14-7/8 x 4-9/16 x 10-5/8	(A) 4 (B) 6-1/8	1	96	602
563-H720	8 pocket pouch for 532-43			1	1	1

FOB TX



**Model  
533-43**

### 7FX (2 Shelf) Industrial First Aid Cabinet with Swing Out Door (Empty)


- Constructed using prime cold-rolled steel
- Door is welded in place using a full piano hinge with a rust resistant hinge pin
- (2) Fixed shelves (including cabinet base)
- Door folds down and positive catches keep it securely closed
- Convenient sturdy carrying handle
- Keyhole slots in back provide for wall hanging
- Door pouch is available as an option
- Sold without contents
- Durable white powder coat finish

Model	Description	Overall Dim: WxDxH	Shelf Height (In.)	Carton QTY./MOQ	Ship Wt. (Lbs.)
533-43	First Aid Cabinet	14-7/8 x 4-9/16 x 10-1/2	(A) 4 (B) 6-1/8	1	7
563-H720	8 pocket pouch for 533-43			1	1

FOB TX



Ships UPS



**Model  
534-43**

### 9FX (3 Shelf) Industrial First Aid Cabinet (Empty)

- Constructed using prime cold-rolled steel
- Door is welded in place using a full piano hinge with a rust resistant hinge pin
- (2) Fixed shelves (including cabinet base)
- Positive catches keep door securely closed
- Door swings open to the side
- Convenient sturdy carrying handle
- Keyhole slots in back provide for wall hanging
- Door pouch is available as an option
- Sold without contents
- Durable white powder coat finish

Model	Description	Overall Dim: WxDxH	Shelf Height (In.)	Carton QTY./MOQ	Ship Wt. (Lbs.)
534-43	First Aid Cabinet	15-3/16 x 5-9/16 x 16-7/16	adjustable	1	12
564-H721	12 pocket pouch for 534-43			1	1

FOB TX



Ships UPS




# FIRST AID CABINETS

## INDUSTRIAL WITH FIXED SHELVES

### 11FX (4 Shelf) Industrial First Aid Cabinet (Empty)

- Constructed using prime cold-rolled steel
- Door is welded in place using a full piano hinge with a rust resistant hinge pin
- (4) Fixed shelves (including cabinet base)
- Positive catches keep door securely closed
- Door swings open to the side
- Convenient sturdy carrying handle
- Keyhole slots in back provide for wall hanging
- Door pouch is available as an option
- Sold without contents
- Durable white powder coat finish



**Model  
535-43**

Model	Description	Overall Dim: WxDxH	Shelf Height (In.)	Carton QTY./MOQ	Ship Wt. (Lbs.)
535-43	First Aid Cabinet	15-3/16 x 5-9/16 x 22-1/4	(A) 5-7/16 (B) 4-1/2 (C) 5-3/4 (D) 6	1	16


FOB TX



Ships UPS

### 5 Shelf, Extra Wide, First Aid Cabinet (Empty)

- Constructed using prime cold-rolled steel
- Door is welded in place using a full piano hinge with a rust resistant hinge pin
- (5) Fixed shelves (including cabinet base)
- Positive catches keep door securely closed
- Door swings open to the side
- Convenient sturdy carrying handle
- Keyhole slots in back provide for wall hanging
- Door pouch is available as an option
- Sold without contents
- Durable white powder coat finish




**Model  
572-43**

Model	Description	Overall Dim: WxDxH	Shelf Height (In.)	MOQ	Ship Wt. (Lbs.)
572-43	First Aid Cabinet	19 x 5-17/32 x 28-1/4	(A) 5-5/8 (B) 4-1/2 (C) 5-7/16 (D) 6-1/4 (E) 6	60	1278

FOB TX

### 8FX (3 Shelf) Industrial First Aid Cabinet (Empty)

- Constructed using prime cold-rolled steel
- Door is welded in place using a full piano hinge with a rust resistant hinge pin
- (3) Fixed shelves (including cabinet base)
- Positive catch keeps door securely closed
- Door swings open to the side
- Convenient sturdy carrying handle
- Keyhole slots in back provide for wall hanging
- Door pouch is available as an option
- Sold without contents
- Durable white powder coat finish



**Model  
545-43**

Model	Description	Overall Dim: WxDxH	Shelf Height (In.)	Carton	MOQ	Ship Wt. (Lbs.)
545-43	First Aid Cabinet	10-1/4 x 4-9/16 x 15-1/4	(A) 4-1/2 (B) 4-1/2 (C) 5-3/4	1	96	636

FOB TX

# FIRST AID CABINETS

## INDUSTRIAL ADJUSTABLE SHELVES



**Model  
534AV-43**

### 9AV Cabinet (Empty)

- Constructed using prime cold-rolled steel
- Door is welded in place using a full piano hinge with a rust resistant hinge pin
- (2) fully adjustable shelves are included
- Positive catches keep door securely closed
- Convenient sturdy carrying handle
- Keyhole slots in back provide for wall hanging
- Door pouch is sold as an option
- Sold without contents
- Durable white powder coat finish

Model	Description	Overall Dim: WxDxH	MOQ	Ship Wt. (Lbs.)
534AV-43	White Cabinet	15 x 5-9/16 x 16-5/32	60	686
564-H721	12 pocket pouch		1	1

FOB TX

# SAFETY PRODUCTS

## MEDICINE CABINETS



**Model  
518-43-PD**

### Medicine Cabinet

- Durable cold-rolled steel construction
- Choose either a Plexiglas see-thru door or a solid metal door
- Lock and 2 keys are included
- (3) fixed interior shelves are welded in place
- Model 518-43-PD has a Plexiglas door
- A pull-out shelf at the bottom provides a convenient work area
- Assembles easily
- Durable white powder coat finish

Model	Overall Dim: WxDxH (In.)	Shelf Height	Ship Wt. (Lbs.)
518-43-PD	18 x 8 x 27	(A) 6-3/8 (B) 5-1/4 (C) 6-1/4 (D) 8-3/16	33

FOB CT



Ships UPS

## VALUE ADDED SERVICES FROM DURHAM

To make doing business easier and more efficient

- **EDI (Electric Data Interchange) ordering and invoicing**
- **Automated Order Receipt and Shipment Acknowledgement**
- **Special Product Customization Involving Colors, Company Names and Logos. (Minimums apply)**
- **Online portal gives you 24 hour access to pricing, order entry, order status, invoicing and most tracking**
- **Email Orders: [orders@durhammfg.com](mailto:orders@durhammfg.com)**
- **Other Information: [info@durhammfg.com](mailto:info@durhammfg.com)**

**Easily Accessible Online Marketing Material including Catalogs and PDF Sell Sheets Available at: [www.durhammfg.com/catalogs](http://www.durhammfg.com/catalogs)**